



Leading the way in
**Personal Protective
Equipment**

GLOBUS Product Showcase **2024**

OVER 25 YEARS
manufacturing for
industry and healthcare



Contents

Hand Protection 6

Eye Protection 26

Respiratory Protection 42

Hearing Protection 46

Head Protection 48

Protective Clothing 60

From our Chief Exec

With a unique style and identity, our solutions are bespoke and built upon the cornerstones of protection, 'wearability', compliance and productivity.

From the base of a highly successful hand protection division, our desire to better protect workers has resulted in the acquisition of Alpha Solway™, the development and launch of Riley® eyewear, progress in helping healthcare workers with our HAIKA® brand and more recently, the introduction of innovative German manufacturing excellence through the addition of ENHA to Globus Group.

However, products form only one aspect of our solution. It is our consultative approach and support that turns aspiration into reality. The depth and breadth of experience and industry knowledge contained within the Globus Group is unrivalled. Globus Group is fully equipped and resourced to solve PPE challenges efficiently through educational support and implementation that drives successful worker engagement.

As well as reducing accident rates, improving comfort and boosting productivity, the Globus Group solution also works to reduce waste and improve your 'green' credentials through quality and sustainable manufacturing at source. This reduces costs for companies in all sectors of industry and can benefit your organisation too. Ensuring every major project is assessed and purpose-built, Globus Group can tailor support and activity to precisely match your goals and aspirations.

I hope you enjoy exploring this catalogue. It features our broadest-ever range of solutions with the products grouped into easy-to-browse categories. With an ethos of putting the worker first and building a commercially viable solution for organisations, we never stop striving to do things better – it's in our DNA!

I would be pleased to hear any feedback that you may have. Please feel free to contact me via info@globusgroup.com.

Thank you,



Haraldur Agustsson

Chief Executive | Globus Group



Over 25 Years

of providing innovative protection solutions for healthcare and industry.

Who we are

At Globus Group, people are at the heart of everything we do. Our products are integral to our customers, enabling them to perform in their role safely, giving them the ability to do the best job they possibly can. We are a UK business with a strong heritage in providing high-quality health and safety solutions to the healthcare and industrial sectors. We have been protecting people for over 25 years and our responsibilities continue during the pandemic, strengthening resilience of supply.

Our customers and employees make us who we are today, our ability to quickly adapt makes us incredibly agile at finding quality innovative solutions to meet their needs.





Globus Group has worked tirelessly since 1994 to provide high-performing world class safety and healthcare solutions to customers and consumers across the globe.



What we do

Globus Group is one of the world's leading manufacturers of global worker safety solutions for Hand Protection, Safety Eyewear, Head Protection, Hearing Protection and Respiratory Protection.

With a unique style and identity, our solutions are bespoke and built upon the cornerstones of protection, 'wearability', compliance and productivity. Our UK manufacturing sites not only allow us to adapt to changing requirements easily, they are also pivotal in creating innovative solutions, which are quick to market.



Why we do it

At Globus, we believe in the safety, reliability and wearability of our products. We are proud to protect our customers in their working lives, equipping them to perform their roles safely and empowering them to do the best job possible. As well as providing safety products that our customers trust, our collaborative approach sets us apart. We believe in building lifetime relationships with our customers and being there to respond to their changing requirements.



Hand Protection

The Globus Group hand protection portfolio comprises some of the most technologically advanced protective gloves in the industry. It contains products designed for the most complex and hazardous of tasks offering appropriate levels of mechanical, chemical, cut, thermal, impact, liquid and anti-static protection.

Selecting the right protective glove that is fit for the task, hazard and user is crucial. Our team of hand protection specialists can work alongside you to deploy the Globus Hand Protection Programme, enabling a tailored solution to be provided that works perfectly for your business.

 **SKYTEC**  **HAIKA** **Benchmark** 



Aria™


Excellent resistance to abrasion. Outstanding durability and grip.

Features:

- Level 4 abrasion resistance
- Superior comfort and dexterity
- Anatomically engineered for maximum fit
- Excellent grip in both wet and dry environments
- An Oeko-Tex™ certified product
- Seamless nylon/spandex liner
- Patented nitrile foam palm coating enhances protection
- Touchscreen capabilities to allow usage with screen devices

Suitable Applications:

- Assembly
- Goods Handling
- Light Fabrication
- Quality Inspection
- Warehousing



Codes

7/S – SKY491; 8/M – SKY492; 9/L – SKY493;
10/XL – SKY494; 11/XXL – SKY495



Beta 1™

One of the lightest gloves in the industry for maximum comfort.

Features:

- Patented nitrile foam coating enhances protection as well as providing good wet grip by channeling away excess fluid from the glove surface
- Excellent resistance to abrasion
- Flexible and comfortable, with excellent dexterity
- Good grip in damp, oily or dry conditions
- Touchscreen capabilities to allow usage with screen devices

Suitable Applications:

- Assembly
- Final Fix
- Goods Handling
- Handling Mildly Abrasive Surfaces
- Light Fabrication



Codes

6/XS – SKY500; 7/S – SKY501; 8/M – SKY502;
9/L – SKY503; 10/XL – SKY504;
11/XXL – SKY505



Redeem™

Recycled polyester multi purpose glove.

Features:

- Soft and lightweight liner made of 50% recycled polyester equivalent to 1 plastic bottle of 500ml (PET)
- Flexible and durable nitrile foam coating provides a secure grip and an excellent abrasion resistance
- Ultra fine coating for maximum tactile sensitivity
- Packed by 10 pairs in a biodegradable polybag
- Suitable Applications:

Suitable Applications:

- Handling of Machined Parts Coated with Oil
- Maintenance
- Mechanical Assembly
- Operating Machinery
- Warehouse Work
- Gardening



Codes

6/XS – SKG00032EB; 7/S – SKG00032ED;
8/M – SKG00032EF; 9/L – SKG00032EH;
10/XL – SKG00032EJ; 11/XXL – SKG00032EL



TONS TF-1™

From the TONS range, with good abrasion resistance and oil grip.

Features:

- Durable foam nitrile palm coating grips in dry, damp and light oily conditions
- Flexible and close-fitting design for a comfortable wearing experience
- Lightweight and breathable materials
- Knitwrist cuff style
- Suitable Applications:

Suitable Applications:

- Assembly
- Final Fix
- Goods Handling
- Handling Mildly Abrasive Surfaces
- Light Fabrication
- Supervision



Codes

6/XS – TNS0100; 7/S – TNS0101;
8/M – TNS0102; 9/L – TNS0103;
10/XL – TNS0104; 11/XXL – TNS0105



Ohio™

HPT foam palm with high resistance to abrasion.

Features:

- PVC-HPT foam coating containing encapsulated air molecules provides an inherent cushioning effect
- Tough, flexible PVC sponge touch finish coating using hydrophellent technology provides a high level of grip and soaks up oil to help the hand to grip
- Anatomically designed for comfort, dexterity and fit
- Lint-free and silicone-free

Suitable Applications:

- Assembly
- Light Engineering
- Packaging
- Precision Operations
- Warehousing



EN388:
2016



3131X

Codes

7/S – SKY051; 8/M – SKY052; 9/L – SKY053;
10/XL – SKY054



Idaho™

Extremely durable and anatomically designed for comfort, dexterity and fit with outstanding wet and dry grip.

Features:

- PVC-HPT coating on palm and back of fingers/thumb including the knuckles
- Tough, flexible PVC sponge touch finish coating using hydrophellent technology provides a high level of grip and soaks up oil to help the hand to grip
- Resistant to abrasion and rips

Suitable Applications:

- Assembly
- Final Fix
- Goods Handling
- Handling Mildly Abrasive Surfaces
- Light Fabrication
- Supervision



EN388:
2016



3131X

Codes

7/S – SKY061; 8/M – SKY062; 9/L – SKY063;
10/XL – SKY064; 11/XXL – SKY065



Basalt R™

High abrasion resistance and ideal for precise operations.

Features:

- Good abrasion and tear resistance, with a secure grip
- Comfortable with an anatomical shaped fit, allowing excellent freedom of movement
- PU coating on palm
- Recommended for precise operations requiring maximum dexterity
- Ideal for detailed assembly, light fabrication and small parts handling

Suitable Applications:

- Assembly of Small Components
- Maintenance
- Operating Machinery
- Quality Control
- Second and Final Fix



EN388:
2016



4131X

Codes

6/XS – SKY410; 7/S – SKY411; 8/M – SKY412;
9/L – SKY413; 10/XL – SKY414; 11/XXL – SKY415



Ninja Lite™

Extremely lightweight, PU palm and a superfine extra soft liner.

Features:

- An ultra-lightweight glove, with exceptional flexibility and tactile touch for the most delicate of tasks
- Superfine extra soft nylon liner
- Maximum flexibility and movement for the most intricate of tasks
- Touchscreen capabilities to allow usage with screen devices
- Sanitized® antimicrobial finish provides extra freshness

Suitable Applications:

- Assembly
- Final Fix
- Packaging
- Precision Operations
- Surveying and Quality Inspection
- Supervision



EN388:
2016



3121X

Codes

7/S – SKY121; 8/M – SKY122; 9/L – SKY123;
10/XL – SKY124; 11/XXL – SKY126;
12/XXXL – SKY126



TONS TP-1™

From the TONS range, a supple mechanical barrier with good abrasion resistance.

Features:

- Durable polyurethane palm coating resists rips and abrasion
- Excellent grip in dry handling conditions
- Allows excellent freedom of hand movement
- Flexible and close-fitting design for a comfortable wearing experience
- Breathable and lightweight
- Knitwrist cuff style

Suitable Applications:

- Assembly of Small Components
- Light Engineering
- Maintenance
- Operating Machinery
- Quality Control
- Second and Final Fix



Codes

6/XS – TNS0200; 7/S – TNS0201; 8/M – TNS0202; 9/L – TNS0203; 10/XL – TNS0204; 11/XXL – TNS0205



Recon™

Natural latex coating grip glove with recycled yarns.

Features:

- Sustainable liner containing 44% recycled yarns (25% recycled polyester and 19% recycled cotton)/56% virgin cotton
- Light contact heat resistance up to 250C/482F
- Crinkle latex palm ensures high grip
- Flexible, robust glove offering great dexterity

- Breathable back of hand reduces perspiration

Suitable Applications:

- Bricklaying
- Maintenance
- Manual handling
- Refuse collection
- Scaffolding



Codes

6/XS – SKG00036EB; 7/S – SKG00036ED; 8/M – SKG00036EF; 9/L – SKG00036EH; 10/XL – SKG00036EJ; 11/XXL – SKG00036EL



TONS Red™

From the TONS range, a flexible and robust glove with great rough textured grip.

Features:

- A flexible, robust glove offering great dexterity and with good resistance to tearing
- Comfortable polyester/cotton knit liner
- Rough latex finish for a secure grip
- Breathable back of hand to reduce perspiration
- Designed for continuous wear

Suitable Applications:

- Agriculture
- Construction
- Labouring
- Public Works



Codes

8/M – SKY702; 9/L – SKY703; 10/XL – SKY704



TONS TGG™

A flexible, robust grip glove offering great dexterity and with good resistance to tearing.

Features:

- A flexible, robust glove offering great dexterity with good resistance to tearing
- Comfortable polyester/recycled cotton knit liner
- Rough latex finish for a secure grip
- Breathable back of hand to reduce perspiration
- Designed for continuous wear

Suitable Applications:

- Bricklaying
- Maintenance
- Manual Handling
- Refuse Collection
- Tiling



Codes

8/M – TNS0702; 9/L – TNS0703; 10/XL – TNS0704



Sapphire Supreme™

Ultra lightweight, extreme cut resistant gloves with nitrile micro foam.

Features:

- Cut resistant: Level F (EN 388:2016)
- 18 gauge seamless liner offers flexibility, comfort and high fingertip sensitivity
- HPPE on the inside provides comfort and protection
- Specific metal fibre and Nylon on the outside, fully encapsulated enable extreme cut protection against burrs and sharp edges
- Seamless knit prevents irritation

Suitable Applications:

- Assembly
- Handling sharp and greasy parts
- Machining
- Bodywork
- Precision Mechanics



Codes

7/S – SKYG00001TD; 8/M – SKYG00001TF;
9/L – SKYG00001TH; 10/XL – SKYG00001TJ;
11/XXL – SKYG00001TL



Sapphire Xtreme™


Flexible glove with level E cut resistance.

Features:

- Cut resistant: Level E (EN 388:2016)
- Soft and durable for long lasting comfort
- Resistant to contact heat up to 100°C
- Breathable liner helps keep hands cool
- Ergonomically designed for a superior fit
- Seamless liner prevents irritation

Suitable Applications:

- Bodyshop
- Handling Materials with Sharp Edges
- Injection Moulding
- Metal Fabrication



Codes

7/S – SKY1031; 8/M – SKY1032; 9/L – SKY1033;
10/XL – SKY1034; 11/XXL – SKY1035



TRC715™

A lightweight nitrile foam coated glove with steel fibre.

Features:

- Cut resistant: Level E (EN 388:2016)
- A flexible and comfortable glove offering great dexterity
- HPPE on the inside provides comfort and protection
- Fully encapsulated steel and nylon on the outside strengthens the protection against burrs and sharp edges

- Reinforced thumb crotch enhances durability

Suitable Applications:

- Assembly
- Handling sharp and oily parts
- Machining
- Glass handling
- Bodywork



Codes

6/XS – SKG00016EB; 7/S – SKG00016ED;
8/M – SKG00016EF; 9/L – SKG00016EH;
10/XL – SKG00016EJ; 11/XXL – SKG00016EL



Primo NS-D™

Cut resistant nitrile foam palm with reinforced thumb crotch.

Features:

- Excellent cut resistance: Level D (EN 388:2016)
- Durable foam nitrile palm coating grips in dry, damp and light oily conditions
- Lightweight 13gg HPPE, nylon and glass fibre liner provides good overall mechanical protection
- Flexible, close-fitting design for a comfortable wearing experience
- Knitwrist cuff provides a secure fit

Suitable Applications:

- Assembly
- Handling Materials with Sharp Edges
- Maintenance
- Metal Fabrication
- Sheet Metal Handling



Codes

6/XS – HTSKY00030; 7/S – HTSKY00031;
8/M – HTSKY00032; 9/L – HTSKY00033;
10/XL – HTSKY00034; 11/XXL – HTSKY00035



Sapphire Total™


Oil resistant, water repellent, cut resistant grip glove.

Features:

- A flexible, robust glove offering great dexterity
- Fully coated to protect the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip
- Extremely comfortable and great fitting
- Water repellent for working in damp or oily environments
- Elasticated wrist provides a secure fit

Suitable Applications:

- Pipe Handling
- Sharp and Oily Parts Handling
- Concreting
- Oil Submersion
- Wet Work



Codes

7/S – SKY00121; 8/M – SKY00122;
9/L – SKY00123; 10/XL – SKY00124;
11/XXL – SKY00125



TRC712™

A lightweight and durable nitrile foam coated glove with medium cut protection.

Features:

- Cut resistant: Level C (EN 388:2016)
- A flexible and comfortable glove offering great dexterity
- HPPE on the inside provides comfort and protection
- Foam nitrile coating gives exceptional grip while allowing warm air and moisture from inside to escape, keeping your hands dry and comfortable

Suitable Applications:

- Assembly
- Handling oily components with sharp edges
- Maintenance
- Light fabrication
- Precision Mechanics



Codes

6/XS – SKG00014GB; 7/S – SKG00014GD;
8/M – SKG00014GF; 9/L – SKG00014GH;
10/XL – SKG00014GJ; 11/XXL – SKG00014GL



Sapphire Aero™

Ultra lightweight medium cut resistant glove with nitrile foam.

Features:

- Cut resistant: Level C (EN 388:2016)
- 18 gauge seamless liner offers flexibility, comfort and high fingertip sensitivity
- Free from glass and steel fibre for reduced irritation
- Touch screen compatible
- Foam nitrile coating gives exceptional grip while allowing warm air and moisture from inside to escape

Suitable Applications:

- Assembly
- Handling sharp and greasy parts
- Machining
- Precision Mechanics
- Bodywork



Codes

7/S – SKG00011FD; 8/M – SKG00011FF;
9/L – SKG00011FH; 10/XL – SKG00011FJ;
11/XXL – SKG00011FL



Sapphire Aero +™

Ultra lightweight glass fibre free medium cut resistant glove with nitrile foam knuckle coating.

Features:

- Cut resistant: Level C (EN 388:2016)
- 18 gauge seamless liner offers flexibility, comfort and high fingertip sensitivity
- Glass and steel fibre free reduce risks of irritation
- Touch screen compatible
- Foam nitrile coating gives exceptional grip while allowing warm air and moisture from inside to escape

Suitable Applications:

- Assembly
- Handling sharp and greasy parts
- Machining
- Precision Mechanics
- Bodywork



Codes

7/S – SKG00042FD; 8/M – SKG00042FF;
9/L – SKG00042FH; 10/XL – SKG00042FJ;
11/XXL – SKG00042FL



TRC705™

A lightweight PU coated glove with steel fibre.

Features:

- Cut resistant: Level E (EN 388:2016)
- A flexible and comfortable glove offering great dexterity
- HPPE on the inside provides comfort and protection
- Fully encapsulated steel and nylon on the outside strengthens the protection against burrs and sharp edges
- Seamless knit prevents irritation
- Elasticated wrist provides a secure fit

Suitable Applications:

- Assembly
- Handling sharp and greasy parts
- Machining
- Bodywork
- Precision Mechanics
- Metal stamping



Codes

6/XS – SKG00015EB; 7/S – SKG00015ED;
8/M – SKG00015EF; 9/L – SKG00015EH;
10/XL – SKG00015EJ; 11/XXL – SKG00015EL



Sapphire Nano™

Ultra-thin cut resistant glove with PU coating.

Features:

- Medium to high cut resistance: Level D (EN 388:2016)
- 21 gauge seamless liner offers unprecedented level of fingertip sensitivity for precision tasks
- Durable polyurethane palm coating ensures good protection against abrasion
- Reinforced thumb crotch enhances durability

Suitable Applications:

- Assembly
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics



Codes

6/XS – SKG00033FB; 7/S – SKG00033FD;
8/M – SKG00033FF; 9/L – SKG00033FH;
10/XL – SKG00033FJ; 11/XXL – SKG00033FL



TONS TP-5™

Cut resistant glove with polyurethane palm coating.

Features:

- Cut resistant: Level D (EN 388:2016)
- Durable palm coating resists rips and abrasion
- Excellent grip in dry handling conditions
- Flexible close-fitting design for a comfortable wearing experience
- Breathable and lightweight
- Knitwrist cuff style

Suitable Applications:

- Glass Handling
- Injection Moulding
- Metal Fabrication
- Waste Management



Codes

6/XS – TNS0600; 7/S – TNS0601;
8/M – TNS0602; 9/L – TNS0603;
10/XL – TNS0604; 11/XXL – TNS0605



Sapphire Aero PU™

Ultra lightweight glass fibre free medium cut resistant glove with palm PU coating.

Features:

- Medium cut resistance: Level C (EN 388:2016)
- 18 gauge seamless liner offers flexibility, comfort and high fingertip sensitivity
- Glass and steel fibre free reduce risks of irritation
- Touch screen compatible
- Durable polyurethane palm coating ensures good protection against abrasion

Suitable Applications:

- Assembly
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics



Codes

7/S – SKG00044FD; 8/M – SKG00044FF;
9/L – SKG00044FH; 10/XL – SKG00044FJ;
11/XXL – SKG00044FL



Primo P-C™

Cut resistant PU palm with reinforced thumb crotch.

Features:

- Good level of cut resistance: Level C (EN 388:2016)
- Durable polyurethane (PU) palm coating provides great protection against abrasion
- Lightweight 13gg HPPE, nylon and glass fiber liner provides good cut and rips protection
- Excellent grip in dry handling conditions
- Knitwrist cuff provides a secure fit

Suitable Applications:

- Handling Light Oily Components
- Handling Components with Sharp Edges
- Maintenance
- Metal Fabrication
- Metal Handling



Codes

6/XS – HTSKY00050; 7/S – HTSKY00051;
8/M – HTSKY00052; 9/L – HTSKY00053;
10/XL – HTSKY00054; 11/XXL – HTSKY00055



Cirrus™

Supple and lightweight with cut resistance and PU palm.

Features:

- Cut resistant: Level B (EN 388:2016)
- Supple and lightweight
- Extremely durable
- Offers outstanding flexibility with a tactile touch
- Excellent grip in both dry and damp environments
- Anatomically designed for comfort, dexterity and fit

Suitable Applications:

- Bottling or Canning
- Component Assembly
- Packaging
- Second Fix
- Warehousing and Distribution



Codes

7/S – SKY461; 8/M – SKY462; 9/L – SKY463;
10/XL – SKY464; 11/XXL – SKY465



Trigata™

Lightweight cut resistant polyurethane coated glove.

Features:

- Cut resistant: Level B (EN 388:2016)
- Palm-coated polyurethane
- Lightweight 15 gauge liner
- Secure grip in dry and light oily handling environments
- Extremely hardwearing
- Soft and breathable liner
- Elasticated knitted wrist provides a secure and comfortable fit

Suitable Applications:

- Assembly
- Bottling/Canning
- Glass Manufacturing
- Handling of objects with sharp objects
- Maintenance
- Metal Fabrication
- Plastics Injection



Codes

6/XS – SKY900; 7/S – SKY901; 8/M – SKY902;
9/L – SKY903; 10/XL – SKY904;
11/XXL – SKY905; 12/XXXL – SKY906



Primo P-B™

Cut level B glove with polyurethane palm coating.

Features:

- Cut resistant Level B (EN 388:2016)
- Durable polyurethane (PU) palm coating provides great protection against abrasion
- Lightweight 13gg HPPE, nylon liner provides good cut and rip protection
- Reinforcement on thumb crotch helps extend wearable life
- Excellent grip in dry handling conditions

Suitable Applications:

- Assembly
- Goods Handling
- Handling Components with Sharp Edges
- Light Fabrication
- Maintenance



Codes

7/S – SKY00061; 8/M – SKY00062;
9/L – SKY00063; 10/XL – SKY00064;
11/XXL – SKY00065



Kopter™

Cut resistant sleeve for full arm protection.

Features:

- Full arm cut protection from wrist to shoulder
- Cut resistant: Level D (EN 388:2016)
- Lightweight - 13 gauge construction
- Thinner material on palm and back of hand improves comfort and dexterity when combined with a glove
- Adjustable VELCRO® Brand hook and loop fastening strap for a secure fit

Suitable Applications:

- Castings
- Ductwork
- Engine Servicing
- Glass Handling
- HVAC
- Metalworking
- Sheet Metal Handling

UK
CA

CAT II
CE

EN388:
2016



3X41D

EN407:
2004



X1XXXX

ANSI/ANSI:
105-2016



CUT

Codes

22" – SKY1022



Nevada™

Double-ply medium weight cut resistant sleeves.

Features:

- Cut resistant: Level C (EN 388:2003)
- Thumbhole prevents slipping and wrist exposure
- Gives increased protection from cuts, slash, tear and punctures
- Machine knitted double-ply medium weight sleeve
- Machine washable
- Ambidextrous

Suitable Applications:

- Castings
- Handling Large Sheets of Materials with Sharp Edges
- HVAC
- Sheet Metal Handling

UK
CA

CAT II
CE

EN388:
2016



2X41C

EN407:
2004



X2XXXX

ANSI/ANSI:
105-2016



CUT

Codes

14" – SKG00037CZ; 18" – SKG00038CZ



Argon™

Double insulated general handling glove.

Features:

- Durable glove that remains flexible to temperatures as low as -50°C
- Encapsulated air molecules provide an inherent cushioning effect
- Hydropellent Technology repels liquids
- Secure grip in wet and dry environments
- Enhanced protection to palm, fingers and knuckles
- Sanitised® antimicrobial finish

Suitable Applications:

- Goods Handling
- Groundworks
- Labouring
- Outdoor Maintenance
- Public Works
- Yard Work

UK
CA

CAT II
CE

EN388:
2016



3231X

EN511:
2006



X2X

ANSI/ANSI:
105-2016



CUT

ANSI
2

PUNCTURE

ANSI
3

ABRASION

Codes

7/S – SKY081; 8/M – SKY082; 9/L – SKY083;
10/XL – SKY084



Argon Extra™

Insulated glove with flexible PVC sponge touch coating.

Features:

- Fully dipped
- Soft fleece lining for comfort in cold conditions
- Undulating contour grip pattern to the palm
- Hydropellent Technology repels liquids
- Good grip in wet and greasy conditions

Suitable Applications:

- Cold Storage
- Mechanical Handling in Cold Conditions
- Outdoor General Handling
- Packaging
- Warehousing and Distribution

UK
CA

CAT II
CE

EN388:
2016



3131X

EN511:
2006



120



Codes

7/S – SKY911; 8/M – SKY912; 9/L – SKY913;
10/XL – SKY914; 10/XL – SKY915



Tromso™

Thin and flexible fully coated insulated glove.


Features:

- Fully dipped
- Soft fleece lining for comfort in cold conditions
- Durable and lightweight coating ensures glove longevity in abrasive applications
- Good 360-degree breathability
- Ultra fine coating for maximum tactile sensitivity
- Good grip in wet and dry conditions

- Sanitised® antimicrobial finish
- Touch screen compatible

Suitable Applications:

- Goods Handling
- Groundworks
- Labouring
- Outdoor Maintenance
- Deliveries
- Yard Work



Codes

6/XS – SKG00026FB; 7/S – SKG00026FD;
8/M – SKG00026FF; 9/L – SKG00026FH;
10/XL – SKG00026FJ; 11/XXL – SKG00026FL



Xenon XN135™


High chemical resistant gauntlet with excellent grip.

Features:

- A soft, lightweight and robust glove offering great dexterity
- Triple coated nitrile provides a strong chemical resistance
- Superior grip in wet and oily environments
- Thin nylon liner to improve comfort and reduce sweat
- Long cuff to provide forearm protection

Suitable Applications:

- Canning
- Cementing
- Chemical/Oils Parts Handling
- Oil Submersion



Codes

8/M – SKY00142; 9/L – SKY00143;
10/XL – SKY00144; 11/XXL – SKY00145



Nero™


Chemical resistant heavy-duty flock-lined natural rubber glove.

Features:

- Heavy-duty for enhanced protection
- Anti-slip hexagon grip design to palm and fingertips
- Resistance to water-based chemicals
- Bacteriostatic and fungistatic additives
- Pure cotton flock lining absorbs perspiration
- Chlorinated surface
- Low in soluble proteins

Suitable Applications:

- Chemical Handling
- Cleaning
- HGV Drivers
- Maintenance of Equipment
- Medical Research



Codes

7/S – SKY871; 8/M – SKY872; 9/L – SKY873;
10/XL – SKY874



Dakota™


Chemical resistant gauntlet with a textured pattern on the palm.

Features:

- Flock-lined for extra comfort and ease of donning
- Textured palm and fingertips for gripping in wet and dry conditions
- Resistant to a wide variety of chemicals and solvents
- EN374 and Category III approved
- Chlorinated and sanitised to reduce odours
- Straight cuff

Suitable Applications:

- Chemical Handling
- Cleaning
- Commercial Printing
- Paint shop
- Pesticide Handling



Codes

6/XS – SKY960; 7/S – SKY961; 8/M – SKY962;
9/L – SKY963; 10/XL – SKY964



TX324™


High performance biodegradable nitrile single use examination glove.

Features:

- High quality nitrile, soft and durable
- Palm thickness 0.07mm (3 mil), weight: 3.5g size M
- Tested to ASTM D5526 (determine the degree and rate of anaerobic biodegradation of materials in accelerated landfill conditions). Results: 30% biodegradation after 202 days
- Textured finish on fingertips for improved grip and touch

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination



Codes

6/XS – SKG00324IB; 7/S – SKG00324ID;
8/M – SKG00324IF; 9/L – SKG00324IH;
10/XL – SKG00324IJ



Iris™


Nitrile, powder-free, single use examination glove.

Features:

- Comfortable with a 'second skin' feel
- High resistance to penetration and projections of many chemicals
- Powder free and latex free, AQL 1.5
- Rolled cuff for secure fit
- Approved for food handling
- Palm thickness 0.08mm, weight: 4g, size M
- Textured finish on fingertips for improved grip and touch

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination



Codes

6½-7/S – SKYIRIS1; 7½-8/M – SKYIRIS2;
8½-9/L – SKG00324IF; 9½-10/XL – SKYIRIS4;
10½-11/XXL – SKYIRIS5



TX424™


High performance, powder-free, nitrile single-use examination glove.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.10mm (4 mil), weight: 5g, size M
- High resistance to penetration and projections of many chemicals
- Textured finish on fingertips for improved grip and touch
- Powder-free, latex-free, non-sterile, AQL 1.5

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination



Codes

6/XS – SKG00424DB; 7/S – SKG00424DD;
8/M – SKG00424DF; 9/L – SKG00424DH;
10/XL – SKG00424DJ; 11/XXL – SKG00424DL



TX428™


High performance, powder-free, extended cuff, nitrile, single-use examination glove.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.10mm (4 mil), weight: 6.5g, size M
- High resistance to penetration and projections of many chemicals
- Textured finish on fingertips for improved grip and touch
- Extended cuff (280mm length)
- Dual labelling: PPE and medical

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination



Codes

6/XS – SKG00428DB; 7/S – SKG00428DD;
8/M – SKG00428DF; 9/L – SKG00428DH;
10/XL – SKG00428DJ; 11/XXL – SKG00428DL



Teal™


Premium performance, powder-free, nitrile single use disposable glove.

Features:

- 100% premium quality nitrile
- Palm thickness 0.12mm (5 mil), weight 6gr
- High resistance to penetration and projections of many chemicals
- Textured finish on fingertips for improved grip and touch
- Chlorinated inside to offer more comfort and reduce friction when donning
- Dual labelling: PPE and medical

Suitable Applications:

- Chemical Handling
- Food Preparation
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying



Codes

5½-6/XS – SKYTEAL0; 6¾-7/S – SKYTEAL1;
7½-8/M – SKYTEAL2; 8½-9/L – SKYTEAL3;
9¼-10/XL – SKYTEAL4; 10½-11/XXL – SKYTEAL5



TX524™

High performance, powder-free, black, nitrile, single-use examination glove.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.11mm (4.3 mil), weight: 5.5g, size M
- High resistance to penetration and projections of many chemicals
- Textured finish on fingertips for improved grip and touch
- Powder-free, latex-free, non-sterile, AQL 1.5
- Dual labelling: PPE and medical

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying
- Examination



Codes

6/XS – SKG00524BB; 7/S – SKG00524BD;
8/M – SKG00524BF; 9/L – SKG00524BH;
10/XL – SKG00524BJ; 11/XXL – SKG00524BL



TX530™

Premium performance, powder-free, extended cuff, nitrile, single-use disposable glove.

Features:

- 100% premium quality nitrile
- Palm thickness 0.12mm (5 mil)
- High resistance to penetration and projections of many chemicals
- Extended cuff (300mm length) to protect the forearm
- Chlorinated inside to offer increased comfort and reduce friction when donning

Suitable Applications:

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying



Codes

6/XS – SKG00530EB; 7/S – SKG00530ED;
8/M – SKG00530EF; 9/L – SKG00530EH;
10/XL – SKG00530EJ; 11/XXL – SKG00530EL



TX630™

Premium performance, powder-free, nitrile, single-use glove with anti-static properties (ESD). Strong and high resistance to chemicals.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.16mm (6 mil), weight: 91g, size M
- High resistance to penetration and projections of many chemicals
- Extended cuff (300mm length) to protect the forearm
- Textured finish on fingertips to enhance grip
- Antistatic properties according to EN 16350:2014: vertical resistance 14.5 x 106 Ω

Suitable Applications:

- Chemical Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying



Codes

6/XS – SKG00630BB; 7/S – SKG00630BD;
8/M – SKG00630BF; 9/L – SKG00630BH;
10/XL – SKG00630BJ; 11/XXL – SKG00630BL



TX724™

High performance, powder-free, black, nitrile single-use glove with patented TRXON grip pattern technology.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.18mm (7mil), weight: 75g, size M
- High resistance to penetration and projections of many chemicals
- Patented TRXON grip pattern technology on both sides, offering outstanding grip properties in all conditions

Suitable Applications:

- Chemical Handling
- Handling Oily Components
- Light Assembly
- Engineering
- Repair and Finishing



Codes

7/S – SKG00724BD; 8/M – SKG00724BF;
9/L – SKG00724BH; 10/XL – SKG00324IJ;
11/XXL – SKG00724BL



TX725™

High performance, powder-free, orange, nitrile single-use glove with patented TRXON grip pattern technology.

Features:

- High-quality nitrile, soft and durable
- Palm thickness 0.18mm (7mil), weight: 75g, size M
- High resistance to penetration and projections of many chemicals
- Patented TRXON grip pattern technology on both sides, offering outstanding grip properties in all conditions

Suitable Applications:

- Chemical Handling
- Handling Oily Components
- Light Assembly
- Engineering
- Repair and Finishing



Codes

7/S – SKG00725GD; 8/M – SKG00725GF;
9/L – SKG00725GH; 10/XL – SKG00725GJ;
11/XXL – SKG00725GL



NX510

HAIKA® NX510 are lightweight, ambidextrous, single-use medical nitrile examination gloves.

Features:

- A textured surface enhances slip resistance and allows for a secure grip
- Thickness 0.07mm, weight: 3.5g
- The lightweight and elastic nature of the nitrile delivers an excellent sense of touch and a comfortable wearing experience even when worn for long periods
- Helps to protect users and patients from the transmission of infections
- Durable beaded cuff design enables the glove to be donned and removed efficiently and securely
- Eliminates powder-induced irritation and makes it ideal for people with a Type I latex sensitivity

Suitable Applications:

- Accident and Emergency
- Bio-science
- Dental
- Laboratory
- Pharmacy
- Wards

Codes

6/XS – HAK5100; 7/S – HAK5101;
8/M – HAK5102; 9/L – HAK5103;
10/XL – HAK5104; 11/XXL – HAK5100



TORQTM



WORK SMARTER & FASTER

Torq QuantumTM

Insulated and waterproof impact resistant glove with high cut protection.

Features:

- Cut resistant: Level F (EN 388:2016), ANSI A6
- Liquid proof barrier blocks contact from water liquids
- Teflon® treated synthetic leather palm resists oil and water
- Ergonomically curved fingers to reduce hand fatigue
- Double-stitched Kevlar® thread to bolster high wear areas
- High Visibility for efficient signalling

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging

UK
CA

CAT II
CE

EN388:
2016



3X43FP

EN511:
2006



121

ANSI/ANSI
105-2016



A6
CUT

ANSI / ISEA 138



Codes

8/M - SKG00035DF; 9/L - SKG00035DH;
10/XL - SKG00035DJ; 11/XXL - SKG00035DL;
12/XXXL - SKG00035DN; 13/XXXXL - SKG00035DP



Torq Red F™

Durable impact protection with cut resistance.


Features:

- Cut resistant: Level F (EN 388:2016), ANSI A7
- A robust single-piece synthetic material palm for heightened durability and anti-slip grip
- Durable multi-layer fabric on the palm provides high cut and abrasion resistance
- Continuous impact panel for full coverage protection

- Light contact heat resistance up to 250C/482F
- Double-stitched Kevlar® thread to bolster high wear areas

Suitable Applications:

- Assembly
- Cargo handling
- Demolition
- Drilling and Mining extraction
- Heavy construction



Codes

8/M – SKG00020CF; 9/L – SKG00020CH;
10/XL – SKG00020CJ; 11/XXL – SKG00020CL;
12/XXXL – SKG00020CN; 13/XXXXL – SKG00020CP



Torq Lightning™


Robust impact protection glove with high cut protection.

Features:

- Cut resistant: Level F (EN 388:2016), ANSI A6
- Outstanding grip in dry, wet or oily environments
- Double-stitched Kevlar® thread to bolster high wear areas with a cut-resistant aramid palm lining
- Breathable foam laminated stretch spandex suitable for year-round comfort

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00005CF; 9/L – SKG00005CH;
10/XL – SKG00005CJ; 11/XXL – SKG00005CL;
12/XXXL – SKG00005CN; 13/XXXXL – SKG00005CP



Torq Strike™


High cut level, ultra dexterity impact glove.

Features:

- Cut resistance: level E (EN388:2016)/ ANSI A5
- Thin, synthetic leather palm gloves feel like a classic mechanic's glove
- Ergonomically curved fingers to reduce hand fatigue
- Reinforced thumb crotch/saddle to prolong wear
- Adjustable cuff with elastic for a custom fit
- ANSI Level 1 Impact Protection

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00024CF; 9/L – SKG00024CH;
10/XL – SKG00024CJ; 11/XXL – SKG00024CL;
12/XXXL – SKG00024CN; 13/XXXXL – SKG00024CP



Torq Typhoon™


High cut resistant impact glove with extended thumb shield.

Features:

- Cut resistance: Level E (EN388:2016) /ANSI A5
- 13 gauge (HPPE, steel) liner offers great dexterity for fine handling
- Excellent grip with a nitrile foam sandy coating on the palm
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand
- Ergonomically designed TPR follow the hand movement reducing hand fatigue

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00010HF; 9/L – SKG00010HH;
10/XL – SKG00010HJ; 11/XXL – SKG00010HL;
12/XXXL – SKG00010HN



Torq Twister™


High cut resistant impact glove with thumb crotch reinforcement.

Features:

- Cut resistant: Level E (EN 388:2016)
- 13 gauge HPPE, Steel and nylon liner provides excellent comfort and cut protection
- Excellent grip with a nitrile foam sandy coating on the palm
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand
- Elasticated wrist provides a secure fit

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00007HF; 9/L – SKG00007HH;
10/XL – SKG00007HJ; 11/XXL – SKG00007HL



Torq Sirocco™

Flexible impact protection glove with oil grip and cut protection.

Features:

- Cut resistant: Level D (EN 388:2016), ANSI A4
- Breathable foam laminated stretch spandex suitable for all year-round comfort
- Palm extends over the thumb crotch for an enhanced cushioned grip
- Double-stitched Kevlar® thread to bolster high wear areas
- Hi-vis colour for efficient hand signalling

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00006GF; 9/L – SKG00006GH;
10/XL – SKG00006GJ; 11/XXL – SKG00006GL;
12/XXXL – SKG00006GN; 13/XXXXL – SKG00006GP



Torq D-Flect™


An extremely flexible impact resistant glove reinforced at the thumb crotch.

Features:

- Foam laminated spandex fabric on top and aramid stitches make the glove strong and resistant
- PVC dotted synthetic leather palm for enhanced cushioned grip
- Synthetic leather base palm, crotch and fourchettes with Teflon® treatment resists oil and water
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – SKG00031CF; 9/L – SKG00031CH;
10/XL – SKG00031CJ; 11/XXL – SKG00031CL;
12/XXXL – SKG00031CN; 13/XXXXL – SKG00031CP



Torq Cyclone™

Fully coated nitrile impact glove offering great oil grip.

Features:

- Fully coated, protecting from oils, hydrocarbons, grease and abrasion
- Flexible and soft 13 gauge liner provides excellent comfort
- Nitrile sandy finish on palm offering excellent grip properties in wet and oily conditions
- Flexible, moulded TPR protection zones on knuckles, fingers, thumb and back of hand
- TPR zones are sewn to the liner for increased lifespan

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Cargo Handling
- Extraction & refining
- Rigging



Codes

8/M – SKG00008BF; 9/L – SKG00008BH;
10/XL – SKG00008BJ; 11/XXL – SKG00008BL



Xeri™

Precision handling when open fingertip contact is required.

Features:

- Cut resistant: Level A (EN 388:2016)
- Three open fingers; index, thumb, middle finger
- Comfortable combination of materials offers excellent work comfort
- Reinforced on the palm and fingertips for added protection in key areas
- Flexible
- Velcro-fastening cuff for a secure fit

Suitable Applications:

- Component Assembly
- Electrical Tasks (non-live)
- Intricate Mechanical Tasks
- Light Engineering
- Light Fabrication

UK
CA

CAT II
CE



Codes

7/S – SKY3901; 8/M – SKY3902;
9/L – SKY3903; 10/XL – SKY3904;
11/XXL – SKY3905



Benchmark™

BMG255

Multi-purpose nylon/nitrile foam glove.

Features:

- A secure grip in oily conditions with a tactile touch
- Breathable liner and coating
- Lint free, reducing the risk of product contamination
- Elasticated wrist provides a secure and comfortable fit

Suitable Applications:

- Assembly
- Final Fix
- Goods Handling
- Handling Mildly Abrasive Surfaces
- Light Fabrication
- Supervision

UK
CA

CE



Codes

7/S – BMG00255FD; 8/M – BMG00255FF;
9/L – BMG00255FH; 10/XL – BMG00255FJ



BMG211

Multi-purpose polyester/nitrile glove.

Features:

- An oil repellent coating to ensure maximum liquid protection on palm
- Breathable liner
- Lint free, reducing the risk of product contamination
- Elasticated wrist provides a secure and comfortable fit
- Seamless liner prevents irritation

Suitable Applications:

- Assembling Components
- Handling Greasy Components
- Inspection
- Machining
- Maintenance
- Plastics Moulding

UK
CA

CE



Codes

7/S – BMG00211BD; 8/M – BMG00211BF;
9/L – BMG00211BH; 10/XL – BMG00211BJ



BMG201

Multi-purpose polyester/nitrile glove.

Features:

- Liquid repellent (water, oil) and advanced grip performance
- Protects the hands from oils, hydrocarbons, grease and abrasion
- Seamless liner prevents irritation
- Excellent resistance to abrasion
- Elasticated wrist provides a secure and comfortable fit
- Highly flexible coating for easy movement

Suitable Applications:

- Concreting
- Handling Oily Components
- Maintenance
- Oil Submersion
- Painting
- Wet Work

UK
CA

CE



Codes

7/S – BMG00201FD; 8/M – BMG00201FF;
9/L – BMG00201FH; 10/XL – BMG00201FJ;
11/XXL – BMG00201FL



BMG133

Multi-purpose polyester/polyurethane glove.

Features:

- Abrasion and tear resistant, with a secure grip
- Thin coating facilitates movement
- Elasticated wrist provides a secure and comfortable fit
- Breathable liner
- Lint free, reducing the risk of product contamination
- Seamless liner prevents irritation

Suitable Applications:

- Assembly of Small Components
- Maintenance
- Operating Machinery
- Quality Control
- Second and Final Fix

UK
CA

CAT II
CE



Codes

7/S – BMG00133BD; 8/M – BMG00133BF;
9/L – BMG00133BH; 10/XL – BMG00133BJ;
11/XXL – BMG00133BL



BMG342

Water repellent fully-coated dual latex grip glove.

Features:

- Full smooth latex coating coupled with an additional latex sandy coating to the palm and fingertips
- Seamless 13 gauge nylon knitted liner
- Water repellent
- Long lasting grip performance in wet and dry conditions
- Good abrasion and tearing properties

Suitable Applications:

- Handling Construction Materials
- Transportation
- Labouring
- Outdoor Wet Work
- Warehousing
- Maintenance

UK
CA

CAT II
CE



Codes

7/S – BMG00342DD; 8/M – BMG00342DF;
9/L – BMG00342DH; 10/XL – BMG00342DJ;
11/XXL – BMG00342DL



BMG560

Chemical resistant flock lined nitrile gauntlet.

Features:

- Flock-lined for extra comfort and to ease donning
- Textured palm and fingertips to enhance grip in wet conditions
- CE category III approved
- Straight cuff
- Latex free - ideal for people with Type I latex sensitivity
- Approved for food-handling

Suitable Applications:

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

UK
CA

CAT III
CE



Codes

7/S – BMG00560ED; 8/M – BMG00560EF;
9/L – BMG00560EH; 10/XL – BMG00560EJ



BMG788

Cut E HPPE, steel, nylon/nitrile foam glove.

Features:

- Excellent cut resistance: Level E (EN 388:2016)
- Steel Fibre within the liner provides a high level of cut protection for use in high cut risk environments
- HPPE inner liner improves comfort and keeps the hand fresh
- Nitrile Foam palm provides a secure grip in light oily, greasy or dry conditions
- Elasticated wrist provides a secure fit

Suitable Applications:

- Cargo Handling
- FOD Reduction
- Hand Signalling
- Handling Materials with Sharp Edges
- Heavy Cutting
- Lineside Maintenance

UK
CA

CE



Codes

7/S – BMG00788FD; 8/M – BMG00788FF;
9/L – BMG00788FH; 10/XL – BMG00788FJ;



BMG758

Cut D high strength nylon/nitrile sandy finish glove.

Features:

- Cut resistance: Level D (EN 388:2016)
- A flexible and comfortable glove offering great dexterity
- Glass and steel fibre free reduce risks of irritation
- Nitrile sandy finish on palm provides a secure grip in light oily, greasy and dry conditions
- Flexible, close-fitting design for a comfortable wearing experience
- Elasticated wrist provides a secure fit

Suitable Applications:

- Assembly
- Handling sharp and oily parts
- Maintenance
- Injection molding
- Machining
- Bodyworks



Codes

6/XS – BMG00758FB; 7/S – BMG00758FD;
8/M – BMG00758FF; 9/L – BMG00758FH;
10/XL – BMG00758FJ; 11/XXL – BMG00758FL



BMG234


High cut resistant impact glove.

Features:

- Cut resistance: level D (EN388:2016)
- 13 gauge (HPPE, steel) liner offers great dexterity for fine handling
- Excellent grip with a nitrile foam sandy coating on the palm
- Red nitrile foam for increased visibility
- Dense, moulded TPR protection zones on knuckles, fingers, thumb and back of hand

Suitable Applications:

- Demolition
- Drilling
- Extraction
- Heavy handling
- Cargo handling
- Extraction and refining
- Rigging



Codes

8/M – BMG00234FF; 9/L – BMG00234FH;
10/XL – BMG00234FJ; 11/XXL – BMG00234FL;
12/XXXL – BMG00234FN



BMG735

Cut C high strength nylon/nitrile sandy finish glove.

Features:

- A flexible and comfortable glove offering great dexterity
- Glass and steel fibre free reduce risks of irritation
- Nitrile sandy finish on palm provides a secure grip in light oily, greasy and dry conditions
- Flexible, close-fitting design for a comfortable wearing experience

Suitable Applications:

- Assembly
- Handling sharp and oily parts
- Maintenance
- Injection molding
- Machining
- Bodyworks



Codes

6/XS – BMG00735FB; 7/S – BMG00735FD;
8/M – BMG00735FF; 9/L – BMG00735FH;
10/XL – BMG00735FJ; 11/XXL – BMG00735FL



BMG766

Cut E HPPE, steel, nylon/polyurethane glove.

Features:

- Excellent cut resistance: Level E (EN 388:2016)
- Steel Fibre within the liner provides a high level of cut protection for use in high cut risk environments
- HPPE inner liner part improves comfort and keeps the hand fresh
- PU coated palm gives exceptional abrasion resistance while protecting the hand from light oil and grease
- Elasticated wrist provides a secure fit

Suitable Applications:

- Assembling
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics
- Metal Stamping
- Glass Handling



Codes

7/S – BMG00735FD; 8/M – BMG00735FF;
9/L – BMG00735FH; 10/XL – BMG00735FJ



BMG745

Cut D high strength nylon/pu glove.

Features:

- Cut resistance: Level D (EN 388:2016)
- A flexible and comfortable glove offering great dexterity
- Glass and steel fibre free reduce risks of irritation
- Durable polyurethane palm coating ensures good protection against abrasion
- Flexible, close-fitting design for a comfortable wearing experience
- Seamless knit prevents irritation

Suitable Applications:

- Assembly
- Handling sharp parts
- Maintenance
- Goods handling



Codes

6/XS – BMG00745FB; 7/S – BMG00745FD;
8/M – BMG00745FF; 9/L – BMG00745FH;
10/XL – BMG00745FJ; 11/XXL – BMG00745FL



BMG842


Water repellent fully-coated dual latex thermal grip glove.

Features:

- Protects hands down to -30°C for short or intermittent contact
- Water repellent surface combined with thermal liner keeps hands warm and dry
- Engineered full smooth latex coating with second sandy latex coating on palm for strong grip property
- Outer liner in nylon and inner liner in acrylic terry fleeced improves thermal protection
- Latex coating on a nylon liner enhances high level of flexibility and reduces fatigue
- Suitable for contact heat resistance up to 250°C (approx. 15 seconds)
- Seamless liner prevents irritation
- Orange colour enhances safety in low light conditions

Suitable Applications:

- Handling Construction Materials
- Transportation
- Labouring
- Outdoor Wet Work
- Warehousing
- Maintenance
- Handling ice/snow



Codes

7/S – BMG00842GD; 8/M – BMG00842GF;
9/L – BMG00842GH; 10/XL – BMG00842GJ;
11/XXL – BMG00842GL





Eye Protection

Eye protection is vital to protect against injuries that occur in environments that have a high-risk of flying particles, scratches, abrasions and foreign bodies entering the eye.

A leader in performance eyewear, we have a full portfolio of frames with protection that is second to none, incorporating traditional shapes and reinvented them with a modern edge.

Engineered using the latest safety lens and frame technology, innovative designs and unique performance features, our eye protection is suited to a wide range of applications, ensuring the wearer stays protected when operating in hazardous areas, with comfort as standard.

Our offer of distinctly contemporary, yet robust prescription and non-prescription eyewear from Riley and Alpha Solway is structured to withstand the harshest of industrial environments.

RILEY

ALPHA
SOLWAY

Benchmark 



Navigator™

Innovative yet iconic, the Riley Navigator offers a stylish solution to safety eyewear protection.

Features:

- Iconic fashion design
- 4 base curve lens
- Dual injected temples with soft tips
- Available in 6 lens options including 3 revo coloured options
- Anti-fog/anti-scratch lens coatings
- Non-safety fashion option also available
- Supplied in premium box packaging and microfibre pouch
- Also available for prescription



FIRE REVO



ICE REVO



ANTIQUE REVO



DARK GREY



POLARISED



CLEAR

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
FIRE REVO	RLYSM00527	5-31 F 1F CE / Z87+S U6 L3 I3	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	Riley Anti-scratch and Anti-fog
ICE REVO	RLYSM00529	5-31 F 1F CE / Z87+S U6 L3 I3	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	
ANTIQUE REVO	RLYSM00525	5-31 F 1F CE / Z87+S U6 L3 I3	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	
DARK GREY	RLYSM00522	5-31 F 1F KN CE / Z87+S U6 L3 I3	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	TECTON 400 K8N Anti-scratch and Anti-fog
POLARISED	RLYSM00520	5-31 F 1F CE / Z87+S U6 L3 I3	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	Riley Anti-scratch and Anti-fog
CLEAR	RLYSM00526	2C-12 F 1F CE / Z87+S U6 IO	EN 166 F CE / Z87+ AS/NZS 1337.1 LIC. SMK41066	Impacts, UV radiations	TECTON 400 Anti-scratch and Anti-fog

Stream Evo™

Stream Evo safety glasses provide extreme comfort and 'wearability' with a range of lens options to suit a variety of conditions.

Features:

- A Single wraparound polycarbonate lens
- Soft, ventilated TempFLEX™ temple tips provide a comfortable, secure fit
- Interchangeable and removable adjustable headband
- High performance TECTON 400 anti-scratch and anti-fog coatings applied to BOTH sides of the lens
- Soft, adjustable, anti-slip nose bridge
- Slim temples enhance comfort when worn with ear defenders
- Anti-reflective and high contrast lens options
- 100% metal-free



CLEAR



BLUE



GREY



AMBER



ANTI-REFLECTIVE



TWILIGHT



LED

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00361	2C-12 F 1FTKN CE / Z87+ U6 IO 0	EN 166 FT CE / Z87+ AS/ NZS 1337.1 Lic, No. 1502	Impacts, UV radiations	TECTON 400 K8N Anti-scratch and Anti-fog / UV400 / Moisture repellent
GREY	RLY00362	5-25 F 1FTKN CE / Z87+ U6 L25 I 2	EN 166 FT CE / Z87+ AS/ NZS 1337.1 Lic, No. 1502	Impacts, UV and Solar radiations	
BLUE	RLY00365	2-14 F 1FTKN CE / Z87+ U6	EN 166 FT CE / Z87+	Impacts, UV radiations	
AMBER	RLY00371	2C-12 F 1FTKN CE / Z87+ U6	EN 166 FT CE / Z87+	Impacts, UV radiations	TECTON 400 Moisture Repellent + Anti-fog
LED	RLY00369	2C-14 F 1FTKN CE / Z87+ U6 L13	EN 166 FT CE / Z87+ AS/ NZS 1337.1 Lic, No. 1502	Impacts, UV radiations	
ANTI-REFLECTIVE	RLY00363	2C-12 F 1FT CE / Z87+ U6 L17 I 1	EN 166 FT CE / Z87+	Impacts, UV and Solar radiations	Riley Anti-scratch and Anti-fog
TWILIGHT	RLY00364	5-17 F 1FT CE / Z87+ U6 L17 I 1	EN 166 FT CE / Z87+ AS/ NZS 1337.1 Lic, No. 1502	Impacts, UV and Solar radiations	
EVO ECO	RLY00370	2C-12 F 1FTKN CE / Z87+ U6 IO 0	EN 166 FT CE / Z87+ AS/ NZS 1337.1 Lic, No. 1502	Impacts, UV radiations	N/A
ACCESSORY PACK	RLYA0017	N/A	N/A	N/A	N/A

Stream Evo

Focusing on removing single-use plastic packaging from our supply and distribution channels. From the box to the soft reusable drawstring bag. No single-use plastic used.

Look forward to an ECO future,
a step in the right direction

Green 
Conscience

UK
CA  CAT II
EN166
ANSI Z87

Bags, bottles and straws may be amongst the most obvious single-use plastic out there but our general supply chain in Europe is full of it.

Stream™ Evo Eco is our first Riley product offering that focuses on removing single-use plastic packaging from our supply and distribution channels. From box to soft reusable drawstring bag, that's it! No plastic used.

Stream™ Evo Eco is our initial contribution to helping reduce single-use plastic build up in the supply chain – one pair of spectacles at a time.



CLEAR



BLUE



GREY



AMBER



ANTH-REFLECTIVE



TWILIGHT



LED

Stream Evo Small™

The Stream™ Evo Small safety glasses have all the great features of Stream Evo but offer a wide field of vision with a narrower fit for a smaller head size/shapes.

Features:

- Single wraparound polycarbonate lens
- Soft, ventilated TempFLEX™ temple tips provide a comfortable, secure fit
- Slim temples enhance comfort when worn with ear defenders
- Hinge distance: 117mm
- 100% metal free
- Soft, adjustable, anti-slip nose bridge
- Supplied with microfiber pouch and neck cord

UK
CA  CAT II
EN166
ANSI Z87



CLEAR



BLUE



GREY



AMBER



LED

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00366	2C-12 R 1FTKN  / Z87+ U6	R EN 166 FT  / Z87+	Impacts, UV radiations	 K8N Anti-scratch and Anti-fog / UV400 / Moisture repellent
GREY	RLY00367	5-25 R 1FTKN  / Z87+ U6 L25	R EN 166 FT  / Z87+	Impacts, UV and Solar radiations	
AMBER	RLY00368	2C-12 R 1FTKN  / Z87+ U6	R EN 166 FT  / Z87+	Impacts, UV radiations	
LED	RLY00372	2C-14 R 1FTKN  / Z87+ U6	R EN 166 FT  / Z87+	Impacts, UV radiations	
BLUE	RLY00373	2-14 R 1FTKN  / Z87+ U6	R EN 166 FT  / Z87+	Impacts, UV radiations	

Stream™

The Stream™ Evo is a lightweight sports-style safety spectacle featuring an adjustable rubber nose bridge to allow a secure fit for the majority of users.

Features:

- Single wraparound polycarbonate lens
- Soft, adjustable, anti-slip nosebridge
- Flexible temple tips
- Co-injected bi-colour thermoplastic rubber temples provide a secure fit
- Lateral protection
- Slim temples enhance comfort when worn with ear defenders
- 100% metal free



CLEAR



VERSIONS	FRAME COLOUR	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RED	RLY00201	2C-1.2 \overline{R} 1FTKN $\overline{C}\overline{E}$	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV radiations	 K8N Anti-scratch and Anti-fog / UV400 / Moisture repellent
	BLUE	RLY00231				
	GREEN	RLY00211				
GREY	RED	RLY00202	5-2.5 \overline{R} 1FTKN $\overline{C}\overline{E}$	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV and Solar radiations	
	BLUE	RLY00232				
AMBER	RED	RLY00204	2C-1.2 \overline{R} 1FTKN $\overline{C}\overline{E}$	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV radiations	
	BLUE	RLY00234				
BLUE	BLUE	RLY00235	2-1.4 \overline{R} 1FTKN $\overline{C}\overline{E}$	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV radiations	
LED	RED	RLY00205	2-1.4 \overline{R} 1FTKN $\overline{C}\overline{E}$ Z87+ U6 L1.3	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV radiations	
INDOOR/ OUTDOOR	RED	RLY00203	2C-1.2 \overline{R} 1FT $\overline{C}\overline{E}$	\overline{R} EN 166 FT \overline{S} $\overline{C}\overline{E}$ / Z87+	Impacts, UV and Solar radiations	 Moisture Repellent + Anti-fog
	BLUE	RLY00233				
STREAM FOAM INSERT	N/A	RLYA0013	N/A	N/A	N/A	N/A

GREY

BLUE

AMBER

INDOOR/ OUTDOOR

LED

Ligera™

Super lightweight Ligera™ combines maximum wearer fit and comfort with a sleek sports design.

Features:

- Super lightweight 16.5g
- Sleek sports design – 10 base curve and integral nose piece
- Dual moulded temples with TPE temple ends for maximum fit and comfort
- Anti-Scratch and Anti-fog dual coated UV400 Lenses
- Highly curved lenses offer full wraparound protection and optimum vision
- High-impact resistance under extremes of temperature (-5-55°C)



CLEAR



VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00490	2C-1.2 \overline{R} 1FT \overline{C} \overline{E} Z87+U6 S/IO 0	\overline{R} EN 166 FT \overline{S} \overline{C} \overline{E} / Z87+ / AS/NZS	Impacts, UV radiations	Riley Anti-Scratch / Anti-fog
GREY	RLY00491	5-2.5 \overline{R} 1FT \overline{C} \overline{E} Z87+U6 S L2.5/12	\overline{R} EN 166 FT \overline{S} \overline{C} \overline{E} / Z87+ / AS/NZS	Impacts, UV and Solar radiations	
BLUE	RLY00493	2C-1.4 \overline{R} 1FT \overline{C} \overline{E} Z87+U6 S / 11	\overline{R} EN 166 FT \overline{S} \overline{C} \overline{E} / Z87+ / AS/NZS	Impacts, UV radiations	



BLUE



GREY

Cypher™

The new and exclusive Cypher is a sleek 8 base frame with soft co-injected temples for maximum comfort.

Features:

- Sports style 8 Base lens
- Soft, adjustable anti-slip nose bridge
- Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- Supplied with a microfibre storage pouch
- Unique aero-slotted side arms

UK
CA CE CAT II
EN166
ANSI Z87

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00500	2C-12 R 1FT KN Z87+U6 CE	R EN 166 FT 8 CE / Z87+	Impacts, UV radiations	
GREY	RLY00501	5-25 R 1FT KN Z87+U6 CE	R EN 166 FT 8 CE / Z87+	Impacts, UV and Solar radiations	TECTON 400 K8N Anti-scratch and Anti-fog / UV400 / Moisture repellent
BLUE	RLY00502	2C-14 R 1FT KN Z87+U6 CE	R EN 166 FT 8 CE / Z87+	Impacts, UV radiations	
TWILIGHT	RLY00503	5-17 R 1FT Z87+U6 CE	R EN 166 FT 8 CE / Z87+	Impacts, UV and Solar radiations	ARIDA Moisture Repellent + Anti fog



CLEAR



BLUE



GREY



TWILIGHT

Kosma™

A frameless design provides a sports-style look with enhanced peripheral vision.

Features:

- Slim wraparound style
- Soft TPE nosepiece for enhanced comfort and fit
- Flexible temple tips
- 100% metal free
- Supplied with neck cord

UK
CA CE CAT II
EN166
ANSI Z87

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00321	2C-12 R 1FT CE	R EN 166 FT 8 CE / Z87+	Impacts, UV radiations	
GREY	RLY00322	5-25 R 1FT CE	R EN 166 FT 8 CE / Z87+	Impacts, UV and Solar radiations	Riley Anti-scratch and Anti-fog



CLEAR



GREY

Sisini™

Constructed from an extremely durable and lightweight metallised frame, SISINI™ is an extremely robust and versatile option.

Features:

- Sports style design
- Dual moulded temples with TPE temple ends for maximum fit and comfort
- Soft adjustable PVC nose bridge
- Revo and polarised lens tint options available Supplied with a microfibre storage pouch

UK
CA CAT II
CE EN166
ANSI Z87

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00481	2C-1.2 1FTKN CE / Z87+U6	EN 166 FT CE / Z87+	Impacts, UV radiations	TECTON 400 K8N Anti-scratch and Anti-fog / UV400 / Moisture repellent
GREY	RLY00482	5-2.5 1FTKN CE / Z87+ U6 L2.5	EN 166 FT CE / Z87+	Impacts, UV and Solar radiations	
BLUE	RLY00483	2C-1.2 1FTKN CE / Z87+U6	EN 166 FT CE / Z87+	Impacts, UV radiations	
INDOOR/ OUTDOOR	RLY00484	5-17 1FT CE / Z87+ U6 L1.7	EN 166 FT CE / Z87+	Impacts, UV and Solar radiations	ARIDA™ Moisture Repellent + Anti-fog



CLEAR



REVO



AMBER



GREY



POLARISED

Flux™

A lightweight modern safety spectacle featuring a soft brow-pad to allow greater protection against dust and droplets.

Features:

- Single wraparound polycarbonate lens
- Soft, adjustable anti-slip nose bridge
- Soft brow-pad further protects eyes against dust and droplets
- Co-injected bi-colour thermoplastic rubber temple provide a secure fit
- Multi-functional for a personalised fit 3-position length adjustable temples and lens inclination adjustment

UK
CA CAT II
CE EN166
ANSI Z87

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00481	2C-1.2 1FTKN CE / Z87+U6	EN 166 FT CE / Z87+	Impacts, UV radiations	TECTON 400 K8N Anti-scratch and Anti-fog/UV400/Moisture repellent
GREY	RLY00482	5-2.5 1FTKN CE / Z87+ U6 L2.5	EN 166 FT CE / Z87+	Impacts, UV and Solar radiations	
BLUE	RLY00483	2C-1.2 1FTKN CE / Z87+U6	EN 166 FT CE / Z87+	Impacts, UV radiations	
INDOOR/OUTDOOR	RLY00484	5-17 1FT CE / Z87+ U6 L1.7	EN 166 FT CE / Z87+	Impacts, UV and Solar radiations	ARIDA™ Moisture Repellent + Anti-fog



CLEAR



GREY



BLUE



INDOOR/
OUTDOOR

Tilla™

Safety spectacle. Single piece polycarbonate frame suitable for over-spectacle use.

Features:

- Can be worn over spectacles
- Adjustable and inclinable temples
- Ventilated temple tips and side shields
- Brow protection
- Anti-scratch and Anti-fog lens
- UV400 protection
- Ideal to be worn by site visitors



CLEAR

UK CA CAT II
EN166
ANSI Z87



DARK GREY

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00461	2C-1.2 R 1FT CE	R EN 166 FT 3 CE / Z87+	Impacts, UV radiations	Anti-fog
GREY	RLY00462	5-2.5 R 1FT CE	R EN 166 FT 3 CE / Z87+	Impacts, UV and Solar radiations	

Arezzo™

A compact and lightweight goggle offering protection against liquid droplets as well as impacts.

Features:

- Ultra slim design
- Soft PVC comfort frame
- Fully adjustable pivotable head strap
- High performance TECTON anti-scratch and anti-fog protection



UK CA CAT II
EN166
ANSI Z87

VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00161	2C-1.2 R 1BTKN CE	R EN 166 3BT 3 CE / Z87+	Impacts, Liquid Droplets	TECTON 400 K&N Anti-scratch and Anti-fog/ UV400/Moisture repellent

Quadro™

QUADRO™ offers high level comfort and wide angle vision in a versatile frame. The side arms can easily be removed and replaced with the head strap to provide an enhanced fit in challenging conditions.

Features:

- Sports style design
- Single piece panoramic lens
- Soft comfort TPE inserts on temple ends
- Washable, soft TPE/foam inner frame seal provides a close, comfortable facial fit
- Side-arms can be removed and easily replaced by the enclosed head strap
- Supplied with a microfibre storage pouch



VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00311	2C-12 1FTKN CE	EN 166 FT CE	Impacts, UV radiations	TECTON 400 K9N Anti-scratch and Anti-fog / UV400 / Moisture repellent
GREY	RLY00312	5-2.5 1FTKN CE	EN 166 FT CE	Impacts, UV and solar radiations	



CLEAR



GREY

Arion™

The highly flexible ARION™ provides extreme levels of wearer comfort. The seal around the frame provides extra protection in dusty and dirty environments.

Features:

- Single wide vision lens
- Soft TPE padded seal enhances comfort and protection
- Inclinable temple adjustment allows an easy fit onto most faces
- Co-injected bi-colour temples with flexible TPE ends enhance overall fit and comfort
- Optional head strap enhances the seal and fit
- Supplied with a microfibre storage pouch



CLEAR



VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00021	2C-12 1FTKN CE	EN 166 FT CE	Impacts, UV radiations	TECTON 400 K9N Anti-scratch and Anti-fog / UV400 / Moisture repellent
GREY	RLY00022	5-2.5 1FTKN CE	EN 166 FT CE	Impacts, UV and Solar radiations	
HEAD STRAP	RLYA0001	N/A	N/A	N/A	N/A



GREY

Velia™

VELIA™ is a safety goggle containing a clear polycarbonate wraparound lens offering 180° field of vision.

Features:

- Strong polycarbonate lens with a wide field of vision
- Padded face seal
- Indirect ventilation
- Soft PVC/TPE frame and comfort fit nose bridge
- Adjustable, pivoted elasticated head strap
- Molten metal splash protection
- Can be worn over a prescription frame
- Ophthalmic adapter available with prescription lenses (ordered separately)
- Weight: 84g



VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
CLEAR	RLY00221	2C-1.2 R 1BT9KN IMO 0 CE	R EN166 349BT AS/NZS CE	Impacts, Liquid Droplets, Molten Metal, Airborne Particles	TECTON 400 K8N Anti-scratch and Anti-fog
BUCKLE HEADSTRAP	RLYA0004	N/A	N/A	N/A	N/A



STRAP

Reon™

The REON™ face shield provides the wearer with 'Class A' face protection. High energy impact resistance to EN 166 'Level A'.

Features:

- Ratchet adjustment allows for a secure fit to a range of head sizes
- Padded headband for a comfortable fit
- Adjustable pivot for wearer to select optimum angle
- Fitted chinguard
- Simple, cost-efficient visor replacement system
- Polycarbonate visor includes anti-fog coating
- Polycarbonate visor has Level A impact resistance – the highest attainable level under EN 166
- Frameless design for a wide, unrestricted field of vision



VERSIONS	REF.	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
POLYCARBONATE AND CHINGUARD	RLY00351	2C-1.2 R 1AT 9 IO 0 CE	N/A	Impacts, UV radiations, molten metal splash	Anti-fog
BROWGUARD	RLY00352	N/A	R EN166 AS/NZS 1337.1T CE		
ACETATE VISOR AND CHINGUARD	RLY00355	2C-1.2 R 1 FT 3 CE	N/A	Impacts, UV radiations, fog	Anti-fog
WELDING SHADE 3 WELDING VISOR AND CHIN GUARD	RLY00353	3.1 R B 9 CE	N/A	Impacts, UV radiations, molten metal splash, IR, EN 169	Anti-scratch
WELDING SHADE 5 WELDING VISOR AND CHINGUARD	RLY00354	5.1 R B 9CE I 3 CE	N/A		Anti-scratch



Face Shield

The newly launched Alpha Face Shield ASE9901 protects against airborne droplets and offers direct splash protection. The Alpha Face Shield guarantees comfort thanks to the foam head piece and secure elastic band.

Features:

- PETA visor
- Wide field of vision
- Can be worn over glasses
- Ultra lightweight design
- Easy to fit by means of elastic headband
- Metal-free
- Foam sweatband



UK CA CAT II
CE EN166

REF.	CERTIFICATION	PACKAGING
ASE9901	CE Tech spec based on en 166: 2001, ppe regulation eu 2016/425	40 per case

Introducing **RILEY RX**

The Riley® performance eyewear range incorporates a full portfolio of Sports, Classic and prescription models, all expertly manufactured and delivered efficiently in the UK.



Our Safety Prescription Glasses

- Polycarbonate as standard. Our lenses are 10 times more impact resistant than plastic or glass lenses (EN166 – Grade F)
- Increased strength of +/- 12.00w
- Class 1 optical quality
- 98% protection from the sun's harmful UV rays

Rokka™

Combining an in-demand lens shape with a contemporary crystal frame and an adjustable nose bridge.

Features:

- Contemporary design
- Lightweight polycarbonate frame with integral side shields
- Nylon side arms with soft TPE comfort inserts
- Soft TPE fitted to brow
- Adjustable comfort-fit nose bridge
- Supplied with a microfibre storage pouch



CLEAR



RED/BLACK



BLUE/BLACK



GREEN/BLACK



GREY/BLACK

VERSIONS	LENS	REF.	POWER RANGE	FRAME MARKING	PROTECTION AGAINST
RED/BLACK FRAME	CLEAR	RLY00246	+/- 6.00	EN166 FT CE	Impacts, UV radiations
BLUE/BLACK FRAME		RLY00245			
GREEN/BLACK FRAME		RLY00244			
GREY/BLACK FRAME		RLY00247			

UK CA CAT II CE EN166

SwarmTM

Offering a unique wrap around design with a protective browguard, Swarm is ideal for environments prone to dust or water droplets.

Features:

- Stylish sports style frame
- Integrated deep fit lateral protection
- Slim fit textured temples
- Soft TPE nose pads
- Supplied with a microfibre storage pouch
- Black/Grey model features inner frame seal
- Black/Blue model features removable browguard refill packs available
- Polycarbonate lenses



BLACK/BLUE



BLACK/GREY

UK CAT II
CA CE EN166

VERSIONS	LENS	REF.	POWER RANGE	FRAME MARKING	PROTECTION AGAINST
BLACK/BLUE FRAME	CLEAR	RLYRX00410	+/- 6.00	EN 166 FT CE	Impacts, UV radiations
BLACK/GREY FRAME	CLEAR	RLYRX00415		EN 166 FT CE	Impacts, UV radiations
RILEY RX SWARM BROWGUARD 5 PACK	NA	RLYRXA0042		NA	NA

Optical Insert

Features:

- Lens (eyesize): 50mm
- For use with Velia Goggle
- Clear lens

UK CAT II
CA CE EN166



VERSIONS	LENS	REF.	POWER RANGE	FRAME MARKING	PROTECTION AGAINST
WHITE FRAME	CLEAR	RLYA0020	+/- 8.00	EN166 349BT CE / AS/NS	Impacts, UV radiations

BM14

Classic style top frame safety spectacle

Features:

- Panoramic single piece lens
- Integral side shield
- Interchangeable lens functionality
- 3 point adjustable temple length arms
- Universal nose bridge
- Lightweight: only 25g
- Optical class 1 Polycarbonate lens



CLEAR

UK CA CAT II
CE EN166

ITEM NO.	VERSIONS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
BME00014KZ	CLEAR	2C-12 1F CE	EN 166 F CE BM14	Impacts, UV radiations	Anti-scratch
BME00014RZ					Anti-scratch+anti-fog
BME00014FZ	GREY	5-2.5 1F CE	EN 166 F CE BM14	Impacts, UV and Sun glare	Anti-scratch



GREY

BM18

Wrap-around style safety spectacle

Features:

- Close-fitting protection
- Universal nose bridge
- Slim temple tips
- Anti-scratch lens
- Lightweight: only 23g
- Optical class 1 Polycarbonate lens



CLEAR

UK CA CAT II
CE EN166

ITEM NO.	VERSIONS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
BME00018KZ	CLEAR	2C-12 1FT CE	EN 166 FT CE BM15	Impacts, UV radiations	Anti-scratch
BME00018TZ	DARK GREY	5-3.1 1FT CE	EN 166 FT CE BM15	Impacts, UV and Sun glare	Anti-scratch



DARK GREY

BM10

Over/visitor safety spectacle

Features:

- A Brow protection
- Ventilated temples
- Anti-scratch lens
- Lateral protection
- Weight: 45g
- Ideal to be worn by site visitors
- Optical class 1 Polycarbonate lens
- Metal free



UK
CA

CAT II
CE

EN166

ITEM NO.	VERSIONS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
BME00010KZ	CLEAR	2C-12 1FT CE	EN 166 FT CE	Impacts, UV radiations	Anti-scratch

BM30

Low profile panoramic goggle

Features:

- Excellent protection against liquid splash and dust
- Wide panoramic vision
- Universal nose bridge
- Soft TPR frame
- Indirect ventilation
- Adjustable head strap
- Optical class 1 Polycarbonate lens
- Can be worn over-spectacles



UK
CA

CAT II
CE

EN166

ITEM NO.	VERSIONS	LENS MARKING	FRAME MARKING	PROTECTION AGAINST	COATINGS
BME00030RZ	CLEAR	2C-12 1BT 9 CE	EN 166 3 4 9 BT CE BM30	Impacts, UV radiations, dust, chemicals and molten metals	Anti-scratch+anti-fog

Vivid™

Multi-Function Lens Cleaning Stations

Features:

- Refillable dispenser unit
- Wall mountable
- Comprises 2 x 250 dry tissues and 500ml cleaning

Order Code: RLYA0018



Features:

- Convenient 'ready-to-hang' solution
- Comprises 250 dry tissues and 500ml cleaning fluid
- Dispenser degradable after use

Order Code: RLYA0008



Dry Cleaning Tissues

Features:

- Contains 250 dry cleaning tissues
- Ideal to use with the Riley® VIVID™ lens cleaning spray

Order Code: RLYA0007



Moist Lens Cleaning Tissues

Features:

- Convenient 'ready-to-hang' dispensing solution
- Comprises 200 pre-moistened individually wrapped lens wipes
- Anti-static, anti-reflective and anti-bacterial
- Alcohol and silicone free
- Dispenser degradable after use

Order Code: RLYA0005

Lens Cleaning Spray

Features:

- 500ml spray bottle
- Alcohol and silicone-free
- Anti-reflective
- Anti-static

Order Code: RLYA0006



Vivid Anti-Fog Wipes

Features:

- Safely and quickly cleans and prevents fogging on eyewear lenses, electronic surfaces and other optics
- Convenient 'ready-to-hang' dispensing solution
- Comprises 200 pre-moistened individually wrapped lens wipes
- Anti-static, anti-reflective and anti-bacterial
- Alcohol and silicone-free
- Dispenser degradable after use

Order Code: RLYA0027



Accessories

Microfibre Storage Pouch

Order Code: RLYA0002



Riley RX Case

Order Code: LYRX0015



Premium Neck Cord

Order Code: RLYA0003



Arion Head Strap

Strap only. Glasses not supplied

Order Code: RLYA0001



Swarm Browguard

Order Code: RLYRXA0042



Stream Evo Gasket and Head Band

Order Code: RLYRXA0017



Stream Evo Foam Gasket

Order Code: RLYRA0013



Respiratory Protection

ALPHA
SOLWAY

Globus Group's respiratory range includes disposable respirators, face masks and reusable face coverings, offering exceptional quality. We have a selection of products with varying levels of protection against airborne particles such as dust, fumes and viruses, protecting your workforce in various environments.

The disposable respirators have achieved excellent fit test pass rates and have constantly outperformed competitor products when undergoing 'fit testing'.

Our product selection now includes a range of Alpha Solway valved and unvalved FFP1, FFP2 and FFP3 respirators.



3500 Series

The 3500 SERIES is a range of premium cup shaped UK made respirators. Provides exceptional fit and comfort.

Features:

- Large surface area and premium exhalation valve for excellent breathability
- Delivers excellent face fit test results for a variety of different face shapes
- Incredibly soft and pliable, enhancing wearer comfort and wearability
- Preformed nose bridge and soft inner foam provides a reliable and secure seal
- Simple four-point strap providing easy adjustment and robust strap positioning



3530
FFP3 NR
EN 149:2001 + A1:2009
EN 14683:2019+
AC:2019 FFP3 NR



3530V
FFP3 NR
EN 149:2001 + A1:2009



6000 Series

The 6000 SERIES is a collection of high-performing, cup shaped UK made respirators. Provides a light weight secure fit.

Features:

- Premium exhalation valve for excellent breathability
- Preformed nose bridge and soft inner foam provides comfortable and secure seal
- Simple four point strap providing incredible ease to donning and doffing for a secure fit (6030V)
- Electrostatic filter media
- Soft touch premium elastic



6020
FFP2 NR
EN 149:2001 + A1:2009 &
EN 14683:2019 + AC:2019



6020V
FFP2 NR
EN 149:2001 + A1:2009



6030V
FFP3 NR
EN 149:2001 + A1:2009

Alpha Flow

The Alpha FLOW SERIES has been designed to improve comfort and performance whilst maintaining a secure fit. Colour coded to easily identify protection levels.

Features:

- The mesh outer cover enables a large surface area ensuring low breathing resistance
- Large exhalation valve reduces heat build up, improves wearer comfort
- Preformed nosebridge eliminates the need for regular adjustment (AMF-2V, AMF-3V and AMF-CV)
- Soft foam inner face seal
- AMF3V can be used for beyond a single shift



AMF-2
FFP2 NR
EN 149:2001 + A1:2009



AMF-2V
FFP2 NR
EN 149:2001 + A1:2009



AMF-3CV
(CHARCOAL)
FFP3 NR
EN 149:2001 + A1:2009



AC-N95
NIOSH APPROVED




AMF-3V
FFP3 R D
EN 149:2001 + A1:2009

Alpha S

Designed to ensure an excellent fit for the smaller face. Based on the 3000 SERIES the Alpha S is an FFP3 preformed cup shape respirator.

Features:

- Designed to solve an industry wide problem - high performance respiratory protection for the smaller face
- Unique full inner face seal
- Preformed nosebridge removes the need for regular adjustment
- Four point headstrap adjustment
- Conforms to EN 149: 2001 + A1: 2009 FFP3 NR



Alpha Cup

A single-use, non-valved disposable respirator featuring a pre-formed nosebridge offering protection against particulate hazards.

Features:

- Cup shaped design without a valve
- Inner seal around the nose area for an effective fit
- Pre-formed nosebridge for enhanced comfort
- Retains its shape even in extreme conditions
- Dual elastic straps
- Conforms to NIOSH - TC-84A-7631



AC-2V
FFP2 NR D
EN 149:2001
+ A1:2009



AC-3V
FFP3 NR D
EN 149:2001
+ A1:2009



AC-N95
NIOSH APPROVED



AC-N95
NIOSH
TC-84A-7631

Alpha Fold

Low breathing resistance for use with non-toxic dusts.

Features:

- Ideal for use in warm climates - exceptionally lightweight melt-blown polypropylene provides low breathing resistance.
- Comfortable secure fit - latex-free braided synthetic rubber and polyester head strap.
- Moulds to the wearer's nose - easy nose band adjustment
- Easy to store and issue - individually wrapped for convenience and maximum hygiene.
- Conforms to NIOSH - TC-84A-4313



AF-2V
FFP2 NR
EN 149:2001
+ A1:2009



AF-2CV
FFP2 NR
EN 149:2001
+ A1:2009



AF-3V
FFP3 NR
EN 149:2001
+ A1:2009



AF-N95
NIOSH APPROVED



AF-N95
NIOSH
TC-84A-4313

Alpha Sentinel Full Face Mask

Alpha Sentinel Full Face Masks are ergonomically designed for optimum protection, comfort and PPE compatibility.

Features:

- The 5 point adjustable head harness removes the feeling of a downward pull ensuring a balanced comfortable fit
- Well-balanced, light weight. (600g)
- Available in 3 sizes for a more tailored fit, increasing respirator/fit factor
- Raised visor bridge profile protects the visor from scratches when not in use
- Visor and filter position provides panoramic field of view without any obstructions
- Low profile shape provides exceptional compatibility with other PPE
- The Sentinel filters are fitted with a simple connection which easily click into position
- The large exhalation valve reduces heat and moisture build up, providing low breathing resistance
- Easily cleaned and maintained with spare parts available
- Tested to EN136:1998 Class 2 ensuring greater robustness and higher flame retardancy



Codes

Small – ASRAS0002BD
Medium – ASRAS0002BF
Large – ASRAS0002BH

Alpha Sentinel Half Mask

The Alpha Sentinel Half Masks are ergonomically designed for optimum protection, comfort and PPE compatibility.

Features:

- Well-balanced and light weight (140g), providing optimum wearer comfort
- Available in 3 sizes creating a tailored fit profile, superb fit and comfort for any workforce
- Fully adjustable head harness, offering easy fitting and adjustment, with a robust and trusted fit when in use
- Low profile shape to maximise the field of vision and allow exceptional compatibility with other PPE
- Sentinel filters are fitted with a simple connection which easily click into position
- Premium quality elastic strap provides a secure high comfort fit and retains mask positioning
- The large exhalation valve reduces heat and moisture build up, providing low breathing resistance
- Easily cleaned and maintained with spare parts available
- Tested to EN136:1998



Codes

Small – ASRAS0001BD
Medium – ASRAS0001BF
Large – ASRAS0001BH

Alpha Sentinel Filters

The Sentinel filter range offers protection against hazardous gas, vapour and particulates within a wide variety of industries. Fully compatible with the Sentinel Full Face and Half Mask.

Features:

- Gas filters are snowstorm filled to optimise space and volume, resulting in a smaller light weight casing that limits obstruction of view when fitted
- Particulate P3S and P3H contain pleated filter media, providing more surface area for reduced breathing resistance
- Sentinel filters are fitted with a simple connection which easily click into position
- Less than 115g, all filter combinations are light weight and can be used on both Full Face and Half Mask
- The P3P Filter is tested to 'R', allowing the use for more than one shift
- Tested to EN143:2000 + A1:2006 and EN14387:2021

Codes

P3S – ASRAS0003BF A1 – ASRAS0005BZ
P3H – ASRAS0003BH A2 – ASRAS0006BZ
P3P – ASRAS0004BZ ABEK1 – ASRAS0007BZ



Filter: ABEK1



Filter: A1



Filter: A2



Filter: P3H



Filter: P3S



Hearing Protection

ALPHA
SOLWAY

The new Alpha Solway Alpha SOTA hearing protection portfolio includes durable ear defenders and soft, disposable and reusable ear plugs.

Approved to EN 352 standards, the high performing range caters for the majority of applications and environments where hearing protection is required, from low to high level attenuation.

The Simple-Fit™ ear plugs include a new tapered design that allow for a quick, effective fit.



Sota MH2

High performing, comfortable helmet mounted earmuff. The MH2 features soft ear cushions that is compatible with Radius and Rockman.

Features:

- SNR 30dB
- Low profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Slot easily into position with a lock mechanism for work or rest
- Low pressure but high performance ear muff
- Quality gloss finish for easy maintenance
- Stylish green and black design
- Compatible with ENHA Radius and Rockman Helmets
- Approved to EN 352-3:2020

Suitable Applications:

- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway
- Maintenance



SNR 30dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	18.7	22.2	27.5	34.3	33.5	37.8	38.6
Standard Deviation (dB)	3.0	3.0	3.2	3.0	1.9	2.8	3.1
Assumed Protection (dB)	15.7	19.2	24.2	31.3	31.5	35.0	35.5

HH5 HELMET MOUNTED EARMUFF
SNR = 30dB H = 33dB M = 28dB L = 22dB

Sota HH5

High performing, comfortable helmet mounted earmuff. The HH5 features soft ear cushions that is compatible with Radius and Rockman.

Features:

- SNR 32dB
- Low profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Slot easily into position with a lock mechanism for work or rest
- Low pressure but high performance ear muff
- Quality gloss finish for easy maintenance
- Stylish orange and black design
- Compatible with ENHA Radius and Rockman Helmets
- Approved to EN 352-3:2020

Suitable Applications:

- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway
- Maintenance



SNR 32dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	19.1	22.6	30.4	37.0	34.2	38.6	36.8
Standard Deviation (dB)	2.7	3.2	3.5	2.7	1.9	3.6	3.4
Assumed Protection (dB)	16.4	19.4	26.9	34.3	32.3	35.0	33.4

HH5 HELMET MOUNTED EARMUFF
SNR = 32dB H = 34dB M = 30dB L = 23dB

Sota L1

A low profile, lightweight ear defender with low attenuation, ideal for environments with low level of noise. Soft ear cushions and padded headband.

Features:

- SNR 23dB
- Low profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Padded, durable headband provides lasting comfort
- Very low attenuation ideal for protection at the first action level
- Blue in colour making them ideal for food environment
- Approved to EN352-1: 2002

Suitable Applications:

- Around Moving Machinery
- Building Sites
- Craft Work
- Engineering
- Food Processing
- Hand Drills
- Iron Processing
- Utilities and
- Oil and Gas
- Transportation

FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	13.0	12.1	20.5	29.5	34.5	37.7	33.8
Standard Deviation (dB)	3.4	2.8	2.8	3.9	3.3	3.0	3.7
Assumed Protection (dB)	9.6	19.2	17.7	25.6	31.2	34.7	30.1

L1 EAR DEFENDERS
SNR = 23dB H = 30dB M = 20dB L = 13dB



Sota M2

A high performance, comfortable ear defender without the weight. The M2 model is fully adjustable to provide a superior fit.

Features:

- SNR 30dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy on head adjustment thanks to individual slide action
- Padded, durable headband provides lasting comfort
- Low pressure but high performance ear defender
- Stylish green and black design
- Quality gloss finish for easy maintenance
- Full integration with other PPE
- Approved to EN352-1: 2002

Suitable Applications:

- Airfield Operations
- Boiler Rooms
- Bottling Plants
- Compressors
- Craftwork
- Drilling Concrete
- Fabrications
- Food Processing
- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway Maintenance

FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	18.4	22.5	33.4	38.8	37.0	39.6	40.4
Standard Deviation (dB)	3.7	2.9	2.3	2.4	2.6	3.1	2.3
Assumed Protection (dB)	14.8	19.6	32.2	36.4	34.4	36.5	38.0

M2 EAR DEFENDERS
SNR = 30dB H = 36dB M = 30dB L = 22dB



Sota F3

A high performance, comfortable ear defender without the weight, the F3 features large, soft ear cushions and a folding padded headband

Features:

- SNR 32dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy on head adjustment thanks to individual slide action
- Padded, durable headband provides lasting comfort
- Low pressure but high performance folding ear defender
- Full integration with other PPE Easy fold for convenient storage
- Metal free design
- Approved to EN352-1: 2002

Suitable Applications:

- Airfield Operations
- Boiler Rooms
- Bottling Plants
- Compressors
- Craftwork
- Drilling Concrete
- Fabrications
- Food Processing
- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway Maintenance

FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	18.3	20.7	30.2	37.0	36.7	40.6	39.1
Standard Deviation (dB)	2.9	1.5	2.5	2.9	2.0	3.2	2.7
Assumed Protection (dB)	12.4	19.2	27.7	34.1	34.7	37.4	36.4

F3 EAR DEFENDERS
SNR = 30dB H = 36dB M = 30dB L = 22dB



Sota N4

A high performance, comfortable neck band ear defender extremely lightweight, the N4 features large, soft ear cushions and a flexible padded headband.

Features:

- SNR 32dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy to be worn in neck position and adjust the headband strap
- Low pressure but high performance neck band ear defender
- Stylish green and black design
- Quality gloss finish for easy maintenance
- Full integration with other PPE
- Maintains performance when using with safety helmets and Bump Caps
- Approved to EN352-1: 2002

Suitable Applications:

- Airfield Operations
- Boiler Rooms
- Bottling Plants
- Compressors
- Craftwork
- Drilling Concrete
- Fabrications
- Food Processing
- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway Maintenance

FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	18.1	21.1	31.4	37.7	35.9	38.4	39.4
Standard Deviation (dB)	3.2	1.8	1.8	3.2	2.9	3.3	2.7
Assumed Protection (dB)	15.0	19.3	29.5	34.5	33.0	35.0	36.7

N4 EAR DEFENDERS
SNR = 32dB H = 35dB M = 30dB L = 22dB



Sota H5

A high performance, comfortable ear defender. H5 features large, soft ear cushions and a flexible padded headband. The H5 model is fully adjustable to provide a superior fit for most head sizes.

Features:

- SNR 34dB
- Lower profile cup design
- Large ear cushions allow freedom to fit majority of ears for a comfortable fit
- Easy on head adjustment thanks to individual slide action
- Padded, durable headband provides lasting comfort
- Low pressure but high performance
- Stylish orange and black design
- Quality gloss finish for easy maintenance
- Full integration with other PPE
- Approved to EN352-1: 2002

Suitable Applications:

- Airfield Operations
- Boiler Rooms
- Bottling Plants
- Compressors
- Craftwork
- Drilling Concrete
- Fabrications
- Food Processing
- Heavy Industry
- Iron Processing
- Mining
- Oil and Gas
- Pneumatic Tools
- Transportation
- Utilities and Highway Maintenance



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	22.3	23.3	34.8	40.1	37.4	40.0	40.8
Standard Deviation (dB)	3.6	2.2	3.1	2.3	3.6	2.9	1.8
Assumed Protection (dB)	918.7	211	31.7	37.8	33.7	37.1	30.9

H5L1 EAR DEFENDERS
SNR = 23dB H = 30dB M = 20dB L = 13dB

SNR 34dB



Sota EP11

The EP11 disposable ear plugs have a unique and new tapered design. Manufactured with a soft, brightly-coloured polyurethane (PU) material.

Features:

- SNR 34dB
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- Stylish brightly coloured finish
- Made with soft polyurethane (PU) material for enhanced comfort
- Use a simple 'Roll, Insert, Twist' action when inserting earplugs
- Full integration with other PPE
- EP14 dispenser available. Contains 500 pairs of EP11
- EP15 refill pack for EP14 available. Contains 500 pairs of EP11

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making

SNR 34dB



FREQUENCY (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	32.9	33.4	34.9	37.1	35.8	33.6	40.8	45.1
Standard Deviation (dB)	2.9	2.7	4.3	4.5	5.1	3.7	3.4	4.8
Assumed Protection (dB)	30.0	30.7	30.6	32.6	30.7	29.9	37.4	40.3

EP11 SIMPLE-FIT™ DISPOSABLE FOAM EAR PLUGS
SNR = 34dB H = 32dB M = 31dB L = 31dB

Sota EP12

EP12 contains all the advantages of the EP11 but with the added benefit of being attached together with a lightweight yet durable plastic cord.


Features:

- SNR 34dB
- Corded – Ideal for multiple use in a day
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- Stylish brightly coloured finish
- Lightweight yet durable plastic cord.
- Made with soft polyurethane (PU) material for enhanced comfort
- Use a simple 'Roll, Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making

SNR 34dB



FREQUENCY (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	32.9	33.4	34.9	37.1	35.8	33.6	40.8	45.1
Standard Deviation (dB)	2.9	2.7	4.3	4.5	5.1	3.7	3.4	4.8
Assumed Protection (dB)	30.0	30.7	30.6	32.6	30.7	29.9	37.4	40.3

EP11 SIMPLE-FIT™ DISPOSABLE CORDED FOAM EAR PLUGS
SNR = 34dB H = 32dB M = 31dB L = 31dB

Sota EP14

Refillable ear plug dispenser.

Features:

- Featuring a stylish wall-mountable design, EP14 is a refillable ear plug dispenser able to store and dispense up to 500 pairs of EP11 ear plugs (included)
- Ear plugs are released using the simple twist mechanism and the unit is easily refilled in a few quick, easy steps
- EP15 REFILL PACK AVAILABLE – 500 pairs supplied in a polybag for a cost-effective refill solution

Sota EP15
500 Refill Pack



Sota EP14
Ear plug dispenser



Sota EP20

Stainless steel elements within the ear plugs and cord make them fully detectable and an ideal choice for food processing environments.

Features:

- SNR 34dB
- Embedded with stainless steel elements make this ideal for the food industry
- Corded – Ideal for multiple use in a day
- Each pair of Earplugs are individually packaged
- High performance, high comfort
- A unique, new tapered design
- Stylish blue finish makes it applicable for the food industry
- Lightweight yet durable plastic cord.
- Made with soft polyurethane (PU) material for enhanced comfort
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making



SNR 35dB



FREQUENCY (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	33.1	32.8	35.0	38.8	38.0	32.8	42.6	46.8
Standard Deviation (dB)	1.6	2.5	4.4	3.4	5.0	2.2	4.0	4.8
Assumed Protection (dB)	31.5	30.3	30.6	35.4	33.0	30.6	38.6	42.0

EP20 SIMPLE-FIT™ DISPOSABLE DETECTABLE FOAM EAR PLUGS
SNR = 35dB H = 33dB M = 33dB L = 32dB

Sota EP21

EP21 disposable ear plugs have a unique and new bell shape. They are manufactured with a soft, brightly-coloured polyurethane (PU) material.

Features:

- SNR 37dB
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new bell shaped design
- Stylish brightly coloured finish
- Made with soft polyurethane (PU) material for enhanced comfort
- Use a simple 'Roll, Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making



SNR 37dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	34.2	34.7	38.2	37.8	36.5	41.8	44.8
Standard Deviation (dB)	4.3	4.5	4.4	3.3	2.9	4.5	3.8
Assumed Protection (dB)	29.9	30.2	33.8	34.5	33.6	37.4	41.0

EP21 DISPOSABLE FOAM EAR PLUGS
SNR = 37dB H = 35dB M = 34dB L = 33dB

Sota EP22


EP22 contains all the advantages of the EP21 but with the added benefit of being attached together at opposing ends of a lightweight cord.

Features:

- SNR 37dB
- Corded – Ideal for multiple use in a day
- Each pair of Ear Plugs are individually packaged
- High performance, high comfort
- A unique, new bell shaped design
- Stylish brightly coloured finish
- Made with soft polyurethane (PU) material for enhanced comfort
- Use a simple 'Roll, Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making



SNR 37dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	34.2	34.7	38.2	37.8	36.5	41.8	44.8
Standard Deviation (dB)	4.3	4.5	4.4	3.3	2.9	4.5	3.8
Assumed Protection (dB)	29.9	30.2	33.8	34.5	33.6	37.4	41.0

EP22 DISPOSABLE FOAM EAR PLUGS
SNR = 37dB H = 35dB M = 34dB L = 33dB

Sota EPR01

The EPR01 reusable earplug has a unique triple cone shape, for a snug and comfortable fit. The TPR soft and flexible material is easy to insert.

Features:

- SNR 30dB
- Each pair of Earplugs are packaged in a resealable bag
- High performance, high comfort
- Unique triple cone shape
- Stylish brightly coloured finish
- Made with very soft (TPR) material for enhanced comfort
- Reusable, washable and durable
- Use a simple 'Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making

SNR 30dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	29.6	26.2	27.8	29.2	34.1	36.4	38.7
Standard Deviation (dB)	4.3	3.9	3.8	3.8	3.5	3.7	3.3
Assumed Protection (dB)	25.3	22.3	24.0	25.4	30.7	32.6	35.4

EPR01 REUSEABLE EAR PLUGS
SNR = 30dB H = 31dB M = 26dB L = 24dB

Sota EPR02

EPR02 contains all the advantages of the EPR01 but with a lightweight yet durable plastic cord.


Features:

- SNR 30dB
- Corded – Ideal for multiple use in a day
- Each pair of Earplugs are packaged in a resealable bag
- High performance, high comfort
- Unique triple cone shape
- Stylish brightly coloured finish
- Made with very soft (TPR) material for enhanced comfort
- Reusable, washable and durable
- Use a simple 'Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making

SNR 30dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	29.6	26.2	27.8	29.2	34.1	36.4	38.7
Standard Deviation (dB)	4.3	3.9	3.8	3.8	3.5	3.7	3.3
Assumed Protection (dB)	25.3	22.3	24.0	25.4	30.7	32.6	35.4

EPR02 REUSEABLE EAR PLUGS
SNR = 30dB H = 31dB M = 26dB L = 24dB

Sota EPR03

EPR03 contains all the advantages of the EPR01 and EPR02. Both the cord and earplugs contain metal fragments ensuring this is fully detectable.


Features:

- SNR 30dB
- Corded – Ideal for multiple use in a day
- Each pair of Ear Plugs are packaged in a resealable bag
- Detectable earplug and cord
- High performance, high comfort
- Unique triple cone shape
- Stylish brightly coloured finish
- Made with very soft (TPR) material for enhanced comfort
- Reusable, washable and durable
- Use a simple 'Insert, Twist' action when inserting earplugs
- Full integration with other PPE

Suitable Applications:

- Automotive Body Shops and Repair Workshops
- Canning, Bottling Areas or Food Production
- Construction
- Demolition
- Engineering
- Forging, Pressing or Stamping
- Foundries
- General Fabrication
- Highway Maintenance
- Manufacturing – Automotive, Textiles, Food and Drink, Electronics, White Goods
- Paper or Board Making

SNR 30dB



FREQUENCY (Hz)	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB)	29.6	26.2	27.8	29.2	34.1	36.4	38.7
Standard Deviation (dB)	4.3	3.9	3.8	3.8	3.5	3.7	3.3
Assumed Protection (dB)	25.3	22.3	24.0	25.4	30.7	32.6	35.4

EPR03 REUSEABLE CORDED DETECTABLE EAR PLUGS
SNR = 30dB H = 31dB M = 26dB L = 24dB



Head Protection

ENHA

With the latest product innovation in the ENHA product assortment Globus Group sets the bar high as to lightweight head protection!

The exceptionally lightweight RADIUS industrial safety helmet is one of the lowest in weight of its kind promoting maximum wearer comfort and safety.

All ENHA helmets have a shelf life of 5 years (from manufacturing date) and in-service life of 3 years.



Radius

Exceptionally light-weight industrial safety helmet with crashbox inside – a unique impact energy absorption system.

Features:


- Crashbox Inside optimises energy distribution and dissipation upon an impact to keep the force transfer to the head extremely low.
- Helmet shell made of UV stabilised ABS or HDPE
- Slots (30mm) for hearing or eye protection accessories
- 6 points textile suspension harness
- Improved ratchet adjustable headband (smaller and ergonomically designed, easier to use, also while wearing gloves)
- Fleece sweatband
- Wide range of accessories available

Suitable Applications:

- Construction (civil/commercial)
- Forestry
- Manufacturing
- Logistics
- Electrical
- Utilities



The range comprises of vented, non-vented, standard peak and reduced peak, ABS and HDPE variants for enhanced customer choice.

MODEL	VENTILATION		COLOUR						MATERIAL	ADJUSTABILITY	WEIGHT
Reduced peak	Vented	8 holes	     						ABS/HDPE	Ratchet	from 280g (approx.)
	Non-vented	-									
Standard peak	Vented	8 holes									
	Non-vented	-									



CE EN397 - (unvented versions only)
ANSI/ISEA Z89.1-2014 - TYPE I CLASS C (vented versions);
TYPE I CLASS E (unvented versions) EN50365
(unvented versions only)

Rockman

Our best seller ROCKMAN is lightweight and feels extremely well-balanced when in place, thanks to its stable headgear shaped beneath the occipital bone.

Features:

- Very lightweight helmet
- Very good impact absorption
- Comfortable and stable headgear
- Helmet shell from UV stabilised HDPE
- 30mm side slots
- 6 points textile or plastic harness option
- Vented/un-vented variants
- Wide range of accessories available






















Suitable Applications:

- Construction (civil/commercial)
- Forestry
- Manufacturing
- Logistics
- Electrical
- Utilities



C SERIES
Suitable for construction and general use

E SERIES
Suitable for use by electricians

	MODEL	COLOUR						MATERIAL	VENTILATION	ADJUSTABILITY	WEIGHT	ELECTRICAL INSULATION*
For construction and general use	C							Polyethylene	12 holes	Pinlock/Ratchet	from 285g	-
											from 325g	
Suitable for use by electricians	E							Polyethylene	None	Pinlock/Ratchet	from 305g	440V AC (EN397)
											from 325g	1000V AC / 1500V DC (EN50365)



CE EN397 - EN 50365 (Unvented helmets)
ANSI Z89.1-2014 - TYPE I CLASS C (vented versions);
TYPE I CLASS E (unvented versions)

*Working under high voltage or near high voltage devices of up to 1000V AC or 1500V DC requires the use of personal protective equipment to protect the neck, hands and other parts of the body against electrical hazards.

E-MAN 4000

Electrical safety helmets with fully retractable visor and crashbox – for protection from electrical arc flash up to 4Ka (Arc Flash protection Class 1).

EMAN 7000 for protection up to 7Ka (Arc flash protection class 2) is available on demand.

Features:


- E-Visor for arc flash protection, retractable full face shield, clear
- White shell with different colour option for the crashbox cover
- Unvented
- Slots (30mm) for hearing protection accessories
- 6-point textile suspension harness
- Padded headband with easy to use ratchet for size adjustment
- Fleece sweatband
- 4-point self-releasing chin-strap mounts

Suitable Applications:

- To be used in workplaces where the hazard of an electric arc flash is up to 4ka. (Please note: to be worn with balaclava or a fabric chin protector; additional arc flash PPE may be required).



E-MAN 7000
(Available on demand)



The Crashbox impact absorption system consistently reduces the amount of impact energy passed from the shell to the wearer.



CE EN397 · EN50365
Visor only: EN166, EN70, mm (Molten metal)
Medium impact (B = steel ball 6mm with 432km/h))
Electric arc (B) · UV protection (2-12) · anti-scratch (K)
3 liquid splash ANSI/ISEA Z89.1-2009 Type 1 class C
Visor marking E-MAN 4000: 2C-12 ENH1 F 8-1-0 K 3 CE 1883
Visor marking E-MAN 7000: 2C-12 ENH1 F 8-2-0 KN 3 CE 1883

MODEL	COLOUR			ELECTRIC ARC CLASS VISOR	ELECTRICAL INSULATION HELMET	ADJUSTABILITY	WEIGHT
	SHELL	CRASHBOX	VISOR				
E-MAN 4000	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Class 1 Up to 4kA/0.5 sec	440V AC (EN 397) 1000V AC/1500V DC (EN50365)	Ratchet	740g
E-MAN 7000	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Class 2 Up to 7kA/0.5 sec			

Syntis Dynamic

An extremely comfortable industrial bump cap using stylish cap material, designed for optimised comfort and best class in protection.

Features:

- Maximum air circulation thanks to unique airflow management
- Aerated and breathable materials
- Lightweight
- Designed to be compatible with hearing and eye protection PPE
- Anthropomorphically sized
- Low profile, secure size adjustment
- Stylish outer caps available in multiple colour choices
- Space for corporate logos to be embroidered or printed on
- Available with STANDARD PEAK and MICRO PEAK

Suitable Applications:

- Transport and logistics
- Manufacturing
- Food and beverage production
- Train maintenance
- Police
- Automotive



SYNTIS SHELL

Inner Shell made with 100% recycled HDPE plastic - strong impact resistance but with eco-friendly approach, thanks to the 100% recycled material.

SYNTIS FOAM

CAP STYLES	COLOUR CHOICES		MICRO PEAK (25MM)	STANDARD PEAK (55MM)
Dynamic	NAVY BLUE	●	ENB00010XZ	ENB00011XZ
	BLACK	●	ENB00010BZ	ENB00011BZ
	GREY	●	ENB00010GZ	ENB00011GZ

UK
CA CE
C EN812:2012

Accessories

The ENHA helmet range is complemented by a wide choice of accessories and spare parts

By choosing add-ons, your helmet can become a specialist helmet for the respective industry such as the forestry or electrical industry. Depending on the workplace additional protective equipment such as eye and hearing protection or enhanced visibility may be required. ENHA offers a variety of such accessories for you to choose from.

VISORS – POLYCARBONATE

Face protection accessories such as polycarbonate and mesh visors fit ideally onto the ENHA Rockman helmet range as well as Radius and are easy to attach via an ENHA visor carrier. Clear visors, mesh visors and arc flash protective visors are available to be used with ENHA holders.



Polycarbonate, clear, 1.0mm
Order Code: 4201PC1.0 Visor

Polycarbonate, clear, 1.5mm, 4kA, Class 1
Order Code: 4201PC1.5 Visor

VISORS – MESH

Mesh visors are aimed at the forestry industry and offer an option with wire mesh as well as a nylon mesh visor. You can specify these spare mesh visors or ask for our updated forestry kits OAK Forestry Kit and REDWOOD Forestry Kit).



Nylon mesh visor
Order Code: 4100N Visor

Wire mesh visor
Order Code: 4100W Visor

CHIN-STRAPS

The helmets feature self-releasing chin-strap mounts as an additional safety feature. In line with EN 397 the chin-strap will come off when subjected to an excessive force to avoid strangulation, moreover it helps to keep the helmet more stable on the head during all working activities.

Four points chin strap. Suitable for ROCKMAN and RADIUS
Order Code: 9256



SWEATBANDS

All ENHA helmets include a sweatband. For hygiene and comfort the sweatband should be replaced regularly. Choose the model that suits with your ENHA helmet.

Fleece sweatband, standard for ROCKMAN helmet
Order Code: 9221K

Microfiber sweatband, standard for RADIUS helmet
Order Code: 9228L

RADIUS™



INDUSTRIAL SAFETY
HELMET RANGE

GET
AHEAD
OF THE
GAME

ULTRA LIGHTWEIGHT
STYLISH DESIGN

Engineered to be one of the lightest yet most protective industrial safety helmets on the market.

Following extensive research and development, Globus Group are proudly introducing the brand new and improved **RADIUS™** range of safety helmets.

Its ultra-lightweight design ensures exceptionally low force transfer to the head, easy connectivity of additional PPE, stable fit in challenging working conditions and a stylish aesthetic to facilitate high levels of wearer acceptance.



Protective Clothing

ALPHA
SOLWAY

Benchmark 

Chemical clothing is designed to reduce the risk of chemical exposure to the body and fit can vary for the type of application and risk required.

All Alpha Solway and Haika garments are designed and produced in our UK facilities. The UK-made range of bespoke protective clothing can be donned for the majority of high-risk operations across industry and healthcare or tailor-made for individuals, with each model setting new benchmarks in quality and performance.

Our bespoke protective clothing service allows you to design custom-built clothing to meet your specific safety requirements. Our range caters for all your needs with a selection of full-body suits, jackets, aprons, sleeves, splash hoods and much more.





ChemCre8 allows you to design your own chemical clothing, to suit your specific safety needs. This revolutionary system enables you to select up to 8 key safety features of a chemical suit and combine them to create your very own suit design.

DESIGN YOUR SUIT IN

8 SIMPLE STEPS

BESPOKE OPTION CHOICES INCLUDE THE STYLE OF:

- | | | |
|----------|-----------|------------------|
| 1 Fabric | 4 Arms | 7 Colour |
| 2 Style | 5 Legs | 8 Extra Features |
| 3 Head | 6 Closure | |

How Does It Work?

Each option is individually identified by its own unique letter/number, which when entered in the correct order into the ChemCre8 system will result in a bespoke item code from which an appropriate cost and CAD design can be created as necessary.

Printed configuration forms are also available. Please contact the sales office on
T: +44 (0)161 877 4747 • E: info@globusgroup.com

Reasons to use ChemCre8

Hundreds of possible variations

Low minimum order levels

Improved safety and performance

Sizes

Standard and bespoke options

GLOVEZON connection options

Fabric options

Chemmaster • Chemsol • Chemsol plus
Chemsol HG

Guidance and advice available

Customer Services Team
+44 (0)161 877 4747



BOILERSUITS

(Standard and type approvals depend on product material/style/colour)



TYPE 3 TYPE 4 INDEX 1

GARMENTS

(Standard and type approvals depend on product material/style/colour)



INDEX 1

Glovezon™

Ensuring an effective barrier exists where your glove and protective suit meet can be difficult to achieve in many situations.

Alpha Solway's Glovezon™ system provides a highly effective solution to this industry-wide problem.

Features:

- Can be used with all types of unsupported, or other supported chemical resistant gloves
- Needs only a 30 – 35cm glove length, therefore reducing the cost of gloves
- All components of the kit are re-usable, making for a cost effective solution
- The system allows choice of glove and correct size selection for the wearer
- Available on all sleeved garments and in a selection of Alpha Solway fabrics
- Provides a totally splash-proof seal at the sleeve ends, preventing injuries to the wearer

Suitable Applications:

- Food industry wash-down teams
- Refineries
- Tank cleaners
- Any operative working with chemicals, where there is a splash risk



Order Code: Glovezon Pack A



HOW IT WORKS

Prepare chemical suit with 'o' rings in the cuffs, and glovezon kit

Insert 'rigid cuff' into glove and push 'o' ring over glove into recess

Look out for the Compatibility Icon throughout this section of the catalogue



Chemmaster

Providing chemical protection for Industry for over 30 years. Tough and uncompromising, with exceptional chemical resistant properties against many acids and alkalis.

Features:

- Ideal for a wide variety of chemical handling operations
- Highly regarded industry standard for over 30 years
- Tough and durable 380gm² double sided coated PVC fabric
- Stitched and high frequency welded seams
- Many different configurations available from stock
- Approved to EN 14605:2005+A1:2009

Suitable Applications:

- Chemical Cleaning
- Heavy Industry



Order code: CMBH-EW



PRODUCT	PRODUCT OPTIONS				CODE
	COLLAR	HOOD	ELASTICATED WRISTS	ELASTICATED ANKLES	
BOILERSUIT	✓	-	-	-	CMBC
	✓	-	✓	-	CMBC-EW
	-	✓	-	-	CMBH
	-	✓	✓	-	CMBH-EW
	-	✓	✓	✓	CMBH-EWA
JACKET	✓	-	✓	-	CMJC-EW
	-	✓	✓	-	CMJH-EW
BIB 'N' BRACE	-	-	-	✓	CMBB-EA



PRODUCT	CODE
TROUSER	CMTE
APRON	CMA
SLEEVE	CMS

EN 14605: 2005
+ A1:2009

TYPE PB (4)

CMH2

High performance protective Splash Hood

Features:

- Neck and shoulder cape
- Visor
- Approved to EN 14605:2005+A1:2009

Order code: CMH2



CMH8

High performance protective Splash Hood

Features:

- Neck and shoulder cape
- Apron front
- Anti-mist visor system
- Ventilation ports
- Approved to EN 14605:2005+A1:2009

Order code: CMH8



CMH4

High performance protective Splash Hood

Features:

- Neck and shoulder cape
- Visor
- Apron front
- Approved to EN 14605:2005+A1:2009

Order code: CMH4



CMH10 (Apollo)

High performance protective Splash Hood

Features:

- Designed to wear with a safety helmet
- Fixed double skin wide angle
- Anti-mist visor system
- Ventilation ports
- Extended front and back apron
- Velcro closure
- Approved to EN 14605:2005+A1:2009

Order code: CMH10



Chemsol Plus


Enhanced comfort protective clothing

Features:

- Manufactured from a softer, more tactile 340gm² EPVC/Polyester fabric.
- Lighter/more flexible than standard PVC
- Wide range of colour options available
- Soft-touch feel
- Stitched and high frequency welded seams

Suitable Applications:

- Chemical Site Handling
- Heavy Handling



PRODUCT	PRODUCT OPTIONS					CODE
	COLLAR	ELASTICATED WRISTS	ELASTICATED ANKLES	ELASTICATED WAIST	REFLECTIVE TAPE	
BOILERSUIT	✓	-	-	-	-	CPBH
	✓	-	-	-	✓	CPBH-R
	✓	✓	-	-	✓	CPBH-EW-R
JACKET	✓	✓	-	-	-	CPJH-EW
TROUSERS	-	-	-	✓	-	CPTE
BIB 'N' BRACE	-	-	✓	-	-	CPBB-EA



Order code:
CPBH-EW-R



Order code:
CPJH-EW

Order code:
CPTE

Order code:
CPBB-EA

EN467:
1995



EN 1149-1:
1996



Alphachem X150B


Limited life chemical coverall

Features:

- Designed to provide increased wearer comfort, exceptional levels of safety and protection, with superior durability
- Elasticated wrists, ankles and waist
- 2 way front zipper with resealable extended storm flap
- Integrated thumb loops
- Taped internal overlapped seams provide a strong and effective chemical barrier
- Quick and easy donning/doffing

Suitable Applications:

- Agriculture
- Chemical Spills
- Decontamination Work



Order code:
X150B (005)

Alphachem X350


Limited life chemical coverall

Features:

- Manufactured using polyethylene and EVOH barrier composite, bonded structural spunbonded and polypropylene base layer suitable for higher risk applications
- Tough and durable
- Improved fit, enhanced freedom of movement with a re-enforced crotch.
- Double zip system and grab tag to support with an emergency. Easy to hold when wearing gloves
- Available in a wide range of sizes
- Made from a highly visible orange composite

Suitable Applications:

- Decontamination Work Pressure Cleaning
- Hazardous Chemical Spill Response
- Hazardous Waste Disposal



Order code:
ASC00002GF




Alphashield


Limited life protective clothing range designed to offer lightweight, comfortable protection in a wide variety of applications

Features:

- Offers protection from particulate hazards through to liquid chemical splash, flames and sparks
- Strong, durable and comfortable
- Improved fit, enhanced freedom of movement with two piece crotch pattern
- Storm flap covering zip offers reassuring protection
- Quick and easy donning/doffing with longer 2-way zip
- Innovative, three piece elasticated hood construction provides added comfort, durability and fit
- Elasticated ankles and wrists



BOUND SEAMS
FOR SUPERIOR STRENGTH



MICROPOROUS POLYETHYLENE
ALLOWS WARM AIR AND MOISTURE TO ESCAPE FROM INSIDE



See range overleaf >>>

Alphashield 2200

Limited life chemical coverall

Features:

- Lightweight microporous polyethylene (PE) laminate
- Bound seam for additional protection and strength
- 2-way front zipper with re-sealable storm flap
- Thumb loop ensures arm protection remains in place when arm is raised
- Elasticated waist to enhance fit
- Innovative, three piece elasticated hood construction provides added comfort, durability and fit
- Elasticated ankles and wrists

Suitable Applications:

- Hazardous Material Handling
- Paint Spraying
- Printing



UK
CA CE

EN 1149-5:
2008



EN1073-2:
2002



TIL
CLASS 1

EN ISO 13982-1:
2004+A1:2010



TYPE 5

EN13034:
2005+A1:2009



TYPE 6

EN14126:
2003



TYPE
5-B, 6-B

Order code:
S2200

Alphashield 1000

Limited life chemical coverall

Features:

- Lightweight spun-bonded polypropylene
- Strong, durable and comfortable
- Innovative, three piece elasticated hood construction provides added comfort, durability and fit
- Elasticated ankles and wrists
- Storm flap covering zip offers reassuring protection
- Quick and easy donning/doffing with longer 2-way zip
- Elasticated back waist for enhanced comfort

Suitable Applications:

- Hazardous Material Handling
- Paint Spraying
- Printing



UK
CA CE

EN 1149-5:
2008



EN1073-2:
2002



TIL
CLASS 1

EN ISO 13982-1:
2004+A1:2010



TYPE 5

EN13034:
2005+A1:2009



TYPE 6

EN14116:
2008



Order code:
S1BH

Alphashield 2000+

Limited life chemical coverall

Features:

- Lightweight spun-bonded polypropylene with outer breathable film
- Taped sealing on storm flap for extra protection
- Thumb loop ensures arm protection remains in place when arm is raised
- Innovative, three piece elasticated hood construction provides added comfort, durability and fit
- Elasticated ankles and wrists

Suitable Applications:

- Hazardous Material Handling
- Paint Spraying
- Printing

UK
CA CE

EN 1149-5:
2008



EN1073-2:
2002



TIL
CLASS 1

EN ISO 13982-1:
2004+A1:2010



TYPE 5

EN13034:
2005+A1:2009



TYPE 6

EN14126:
2003



TYPE
5-B, 6-B

Order code:
S2BH+



Alphashield 2000 FCP

Limited life chemical coverall

Features:

- Lightweight spun-bonded polypropylene with outer breathable film
- Full back panel in blue in breathable SMS from shoulder to behind the knee
- Taped sealing on storm flap for extra protection
- Innovative, three piece elasticated hood construction provides added comfort, durability and fit
- Elasticated ankles
- Reinforced 3-thread overlapped seam offers stronger seam strength and better protection

Suitable Applications:

- Hazardous Material Handling
- Paint Spraying
- Printing

UK
CA CE

EN13034:
2005+A1:2009



TYPE 6

EN14126:
2003



TYPE
5-B, 6-B
ONLY ON WHITE
MP FABRIC

EN 1149-5:
2008



EN1073-2:
2002



TIL
CLASS 1

EN ISO 13982-1:
2004+A1:2010



TYPE 5

Order code:
S2BH-FCP



BMC-01


Limited life chemical coverall

Features:

- SMS breathable material
- Elasticated waist
- Overlocked stitched seams
- Inset sleeve for ease of movement
- Available in white or blue
- Available in various sizes

Suitable Applications:

- Maintenance
- Oil Submersion
- Painting
- Wet Work



White
Order code:
BMC00001AF

Blue
Order code:
BMC00001DF

BMC-02


Limited life chemical coverall

Features:

- Microporous laminated material
- Elasticated waist
- Overlocked stitched seams
- Inset sleeve for ease of movement
- Available in white or blue
- Available in various sizes

Suitable Applications:

- Electronics
- Hazardous Material Handling
- Paint Spraying
- Printing



White
Order code:
BMC00002AF

Blue
Order code:
BMC00002DF

BMC-03


Limited life chemical coverall

Features:

- Microporous laminated material
- Elasticated waist
- Overlocked stitched seams
- Inset sleeve for ease of movement
- Comfort SMS blue panel
- Available in various sizes

Suitable Applications:

- Electronics
- Hazardous Material Handling
- Paint Spraying
- Printing
- Agriculture
- Clean Room



Order code:
BMC00003AF

Index

Hand Protection



Argon Extra™	14	Nevada™	14	Torq D-Flect™	21
Argon™	14	Ninja Lite™	8	Torq Lightning™	20
Aria™	7	NX510	18	Torq Quantum™	19
Basalt R™	8	Ohio™	8	Torq Red F™	20
Beta 1™	7	Primo NS-D™	10	Torq Sirocco™	21
BMG133	23	Primo P-B™	13	Torq Strike™	20
BMG201	22	Primo P-C™	13	Torq Twister™	21
BMG211	22	Quadro™	33	Torq Typhoon™	20
BMG234	24	Recon™	9	TRC705™	12
BMG255	22	Redeem™	7	TRC712™	11
BMG342	23	Sapphire Aero +™	11	TRC715™	10
BMG560	23	Sapphire Aero PU™	12	Trigata™	13
BMG735	24	Sapphire Aero™	11	Tromso™	15
BMG745	25	Sapphire Nano™	12	TX324™	16
BMG758	24	Sapphire Supreme™	10	TX424™	16
BMG766	24	Sapphire Total™	11	TX428™	16
BMG788	23	Sapphire Xtreme™	10	TX524™	17
BMG842	25	Teal™	17	TX530™	17
Cirrus™	13	TONS Red™	9	TX630™	17
Dakota™	15	TONS TF-1™	7	TX724™	18
Idaho™	8	TONS TGG™	9	TX725™	18
Iris™	16	Tons TP-1™	9	Xenon XN135™	15
Kopter™	14	TONS TP-5™	12	Xeri™	22
Nero™	15	Torq Cyclone™	21		

Eye Protection



Accessories	41	Flux™	31	Stream Evo Small™	28
Arezzo™	32	Kosma™	30	Stream Evo™	27
Arion™	33	Ligera™	29	Stream™	29
BM10	39	Navigator™	27	Swarm™	37
BM14	38	Optical Insert	37	Tilla™	32
BM18	38	Reon™	34	Velia™	34
BM30	39	Rokka™	36	Vivid™ Range	40
Cypher™	30	Sisini™	31		
Face Shield	35	Stream Evo ECO™	28		

Respiratory Protection



3500 Series	43	Alpha Fold	44
6000 Series	43	Alpha S	44
Alpha Cup	44	Alpha Sentinel	45
Alpha Flow	43		

Index

Hearing Protection



Sota EP11	51	Sota EPR01	53	Sota L1	48
Sota EP12	51	Sota EPR02	53	Sota M2	48
Sota EP14	51	Sota EPR03	53	Sota MH2	47
Sota EP20	52	Sota F3	49	Sota N4	49
Sota EP21	52	Sota H5	50		
Sota EP22	52	Sota HH5	47		

Head Protection



Accessories	58	Rockman	55
E-MAN 4000	56	Syntis Dynamic	57
Radius	55		

Protective Clothing



Alphachem X150B	64	Alphashield 2200	66	Chemsol Plus	64
Alphachem X350	65	BMC-01	68	CMH2	63
Alphashield	65	BMC-02	68	CMH4	63
Alphashield 1000	66	BMC-03	68	CMH8	63
Alphashield 2000+	67	ChemCre8	61	CMH10 (Apollo)	63
Alphashield 2000 FCP	67	Chemmaster	62	Glovezon™	62



www.globusgroup.com

Contact our Team

Need more information?

Discuss your requirements with one of our PPE specialists.
Our team is here to help and advise you

W: tamimigroup.com.sa

T: +966 13 807 5700

E: info@al-tamimi.sa

Address:

Kingdom of Saudi Arabia

Eastern Province / Dammam / 1st Industrial City