



COMFORT AND SAFETY AROUND.
BELOW. ABOVE. AND BEYOND.

✉ safetysales@al-tamimi.sa

☎ 920003815

MEN'S WORK FOOTWEAR

RED WING STYLE #3241MEN'S ULTRAGUARD 8-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, METATARSAL GUARD, NON-METALLIC TOE, PUNCTURE RESISTANT, HRO HEAT RESISTANT, FORCEGUARD, D30, LENZI, ANKLE PROTECTION , SLIP RESISTANT

EH ELECTRICAL HAZARD

NT NON-METALLIC TOE

AN ANKLE PROTECTION

MT METATARSAL GUARD

PR PUNCTURE RESISTANT

SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

CSA GRADE I, ESR RATED,
PR, M, ASTM F2413-I8,
M/I/C, MT EH PR, EN ISO
20345:2011 SB P E M WRU
HRO FO SRC, ASTM
F3445-21, SR

RED WING STYLE #3252MEN'S COMFORTMAX OTF OXFORD

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, PUNCTURE RESISTANT, LENZI, SLIP RESISTANT

EH ELECTRICAL HAZARD

PR PUNCTURE RESISTANT

NT NON-METALLIC TOE

SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-I8, M/I/C, EH PR,
EN ISO 20345:2011 SB P E WRU
FO SRC, ASTM F3445-21, SR

RED WING STYLE #3251MEN'S COMFORTMAX OTF OXFORD

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, PUNCTURE RESISTANT, LENZI, SLIP RESISTANT

EH ELECTRICAL HAZARD
PR PUNCTURE RESISTANT

NT NON-METALLIC TOE
SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH PR, EN ISO 20345:2011 SB P E WRU FO SRC, ASTM F3445-21, SR



COUNTRY OF ORIGIN
MADE IN ITALY

RED WING STYLE #3254MEN'S COMFORTMAX OTF OXFORD

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, PUNCTURE RESISTANT, LENZI, SLIP RESISTANT

EH ELECTRICAL HAZARD
PR PUNCTURE RESISTANT

NT NON-METALLIC TOE
SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH PR, EN ISO 20345:2011 SB P E WRU FO SRC, ASTM F3445-21, SR

RED WING STYLE #3255MEN'S COMFORTMAX OTF OXFORD

TECHNOLOGIES

NON-METALLIC TOE, PUNCTURE RESISTANT, STATIC DISSIPATIVE,
LENZI, SLIP RESISTANT

NT NON-METALLIC TOE

SD STATIC DISSIPATIVE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT



COUNTRY OF ORIGIN

MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, SD 35 PR, EN ISO

20345:2011 S3 SRC, ASTM F3445-21, SR



COUNTRY OF ORIGIN

MADE IN ITALY

RED WING STYLE #3256MEN'S COMFORTMAX OTF OXFORD

TECHNOLOGIES

NON-METALLIC TOE, PUNCTURE RESISTANT, STATIC DISSIPATIVE,
LENZI, SLIP RESISTANT

NT NON-METALLIC TOE

SD STATIC DISSIPATIVE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SSAFETY RATING

ASTM F2413-18, M/I/C, SD 35

PR, EN ISO 20345:2011 S3 SRC,

ASTM F3445-21, SR

RED WING STYLE #6705MEN'S COMFORTPRO SLIP-ON

TECHNOLOGIES

NON-METALLIC TOE, STATIC DISSIPATIVE, HRO HEAT RESISTANT,
CORE STYLE, NANO TOE, SLIP RESISTANT

NT NON-METALLIC TOE
SR SLIP RESISTANT

SD STATIC DISSIPATIVE

COUNTRY OF ORIGIN
MADE IN VIETNAM



OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, M/I/C, SD 35, ASTM F3445-21,
SR

RED WING STYLE #6646MEN'S SLIP-ON

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, HRO HEAT RESISTANT,
STARGRIP®

EH ELECTRICAL HAZARD

NT NON-METALLIC TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, M/I/C, EH



COUNTRY OF ORIGIN
MADE IN CAMBODIA

RED WING STYLE #3210MEN'S OXFORD

TECHNOLOGIES

NON-METALLIC TOE, STATIC DISSIPATIVE

NT NON-METALLIC TOE

SD STATIC DISSIPATIVE



COUNTRY OF ORIGIN
MADE IN CHINA

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SAFETY RATING

EN ISO 20345:2011 SI SRA



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #6338MEN'S ATHLETICS ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, HRO HEAT RESISTANT,
CORE STYLE, SLIP RESISTANT

EH ELECTRICAL HAZARD

AT ALUMINUM TOE

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST


SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM
F3445-21, SR

WORX STYLE #5007MEN'S CARBIDE ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, CORE STYLE, SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN VIETNAM



OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

GOOD

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR





COUNTRY OF ORIGIN
MADE IN VIETNAM

WORX STYLE #5010MEN'S CARBIDE ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, CORE STYLE, SLIP RESISTANT



OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

GOOD

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM
F3445-21, SR

RED WING STYLE #6352MEN'S COOLTECH™ ATHLETICS ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, HRO HEAT RESISTANT, VIBRAM®, BOA®, CROSSBREEZE, NANO TOE, SLIP RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

NT NON-METALLIC TOE



COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR

RED WING STYLE #6349MEN'S COOLTECH™ ATHLETICS 4-INCH
HIKER BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, WATERPROOF, RED WING WATERPROOFING SYSTEM, HRO HEAT RESISTANT, VIBRAM®, CROSSBREEZE, NANO TOE, SLIP RESISTANT

EH ELECTRICAL HAZARD

WATERPROOF

NT NON-METALLIC TOE

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #8336MEN'S COOLTECH™ ATHLETICS ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, HRO HEAT RESISTANT, VIBRAM®,
CROSSBREEZE, SLIP RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT



OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2892-18, EH, ASTM F3445-21, SR

COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #6692MEN'S TRUHIKER 5-INCH HIKER BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, CORE STYLE

EH ELECTRICAL HAZARD

AT ALUMINUM TOE



COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
GOOD
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BETTER

SAFETY RATING

ASTM F2413-18, M/I/C, EH

RED WING STYLE #8212MEN'S SUPERSOLE® 5-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, STEEL TOE, SUPERSOLE, SWEN FLEX, SLIP RESISTANT

EH ELECTRICAL HAZARD
ST STEEL TOE

PR PUNCTURE RESISTANT
SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN USA

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BETTER
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH PR, ASTM F3445-21, SR

RED WING STYLE #8692MEN'S TRUHIKER 5-INCH HIKER BOOT



COUNTRY OF ORIGIN
MADE IN VIETNAM

TECHNOLOGIES

ELECTRICAL HAZARD, CORE STYLE

EH ELECTRICAL HAZARD

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
GOOD
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BETTER

SAFETY RATING

ASTM F2892-18, EH

RED WING STYLE #6670MEN'S TRUHIKER 6-INCH HIKER BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, STEEL TOE, WATERPROOF, RED WING
WATERPROOFING SYSTEM, HRO HEAT RESISTANT, CUSHIN™, CORE
STYLE, SLIP RESISTANT

EH ELECTRICAL HAZARD

W WATERPROOF

ST STEEL TOE

SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

BEST

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR



COUNTRY OF ORIGIN
MADE IN USA

RED WING STYLE #2233MEN'S SUPERSOLE® 8-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, STEEL TOE, SUPERSOLE, RED WING
LEATHER, CORE STYLE, SLIP RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

ST STEEL TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BETTER

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM
F3445-21, SR

RED WING STYLE #8264MEN’S 9-INCH PULL-ON BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, STEEL TOE, SUPERSOLE, SWEN FLEX, SLIP RESISTANT

EH ELECTRICAL HAZARD
ST STEEL TOE

PR PUNCTURE RESISTANT
SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN USA

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BETTER
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH PR, ASTM F3445-21, SR



COUNTRY OF ORIGIN
MADE IN USA

RED WING STYLE #8231MEN’S 11-INCH PULL-ON BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, STEEL TOE, SUPERSOLE, RED WING LEATHER, SWEN FLEX, SLIP RESISTANT

EH ELECTRICAL HAZARD
ST STEEL TOE

PR PUNCTURE RESISTANT
SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BETTER
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH PR, ASTM F3445-21, SR

RED WING STYLE #3207MEN'S PETROKING 8-INCH BOOT

TECHNOLOGIES

NON-METALLIC TOE, PUNCTURE RESISTANT, STATIC DISSIPATIVE,
SWEN FLEX, HRO HEAT RESISTANT, FORCEGUARD, SLIP RESISTANT

NT NON-METALLIC TOE

SD STATIC DISSIPATIVE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

EN ISO 20345:2011 S3 SRC HRO ESD, ASTM
F2413-18, M/I/C, SD 35 PR, ASTM F3445-21, SR,
AS 2210.3:2019



COUNTRY OF ORIGIN
MADE IN USA

RED WING STYLE #6716MEN'S CROSS LITE OXFORD

TECHNOLOGIES

STATIC DISSIPATIVE, ALUMINUM TOE, EXTRALIGHT

SD STATIC DISSIPATIVE

AT ALUMINUM TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, SD 35

RED WING STYLE #6721MEN'S CROSS LITE SLIP-ON

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, EXTRALIGHT



COUNTRY OF ORIGIN
MADE IN VIETNAM

EH ELECTRICAL HAZARD

AT ALUMINUM TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING
ASTM F2413-18, M/I/C, EH



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #6722MEN'S CROSS LITE SLIP-ON

TECHNOLOGIES

STATIC DISSIPATIVE, ALUMINUM TOE, EXTRALIGHT, SLIP
RESISTANT

SD STATIC DISSIPATIVE

AT ALUMINUM TOE

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING
ASTM F2413-18, M/I/C, SD 35

RED WING STYLE #6714MEN'S CROSS LITE CHUKKA

TECHNOLOGIES

STATIC DISSIPATIVE, ALUMINUM TOE, EXTRALIGHT, SLIP RESISTANT

SD STATIC DISSIPATIVE

SR SLIP RESISTANT

AT ALUMINUM TOE



COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, SD 35, ASTM F3445-21,
SR



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #6720MEN'S CROSS LITE CHUKKA

TECHNOLOGIES

ELECTRICAL HAZARD, ALUMINUM TOE, EXTRALIGHT, SLIP
RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

AT ALUMINUM TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM
F3445-21, SR

RED WING STYLE #6719MEN'S CROSS LITE CHUKKA



TECHNOLOGIES

STATIC DISSIPATIVE, ALUMINUM TOE, CORE STYLE, EXTRALIGHT, SLIP RESISTANT

SD STATIC DISSIPATIVE

SR SLIP RESISTANT

AT ALUMINUM TOE

COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2413-18, M/I/C, SD 35, ASTM F3445-21,
SR



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #8715MEN'S CROSS LITE CHUKKA

TECHNOLOGIES

ELECTRICAL HAZARD, EXTRALIGHT

EH ELECTRICAL HAZARD

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BETTER

HEAT RESISTANCE

GOOD

SAFETY RATING

ASTM F2892-18, EH

RED WING STYLE #8714MEN'S CROSS LITE OXFORD



TECHNOLOGIES
ELECTRICAL HAZARD, EXTRALIGHT

EH ELECTRICAL HAZARD

OUTSOLE PROPERTIES
OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING
ASTM F2892-18, EH

COUNTRY OF ORIGIN
MADE IN VIETNAM



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #6344MEN'S COOLTECH™ ATHLETIC

TECHNOLOGIES
ELECTRICAL HAZARD, NON-METALLIC TOE, HRO HEAT RESISTANT,
CORE STYLE, VIBRAM®, CROSSBREEZE, NANO TOE, SLIP
RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

NT NON-METALLIC TOE

OUTSOLE PROPERTIES
OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING
ASTM F2413-18, M/I/C, EH, ASTM
F3445-21, SR

RED WING STYLE #10875MEN'S TRACTION TRED 6-INCH BOOT



TECHNOLOGIES

ELECTRICAL HAZARD, RED WING LEATHER, CORE STYLE, SLIP RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

GOOD

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

GOOD

HEAT RESISTANCE

BETTER

SAFETY RATING

ASTM F2892-18, EH, ASTM F3445-21, SR

COUNTRY OF ORIGIN

MADE IN USA



COUNTRY OF ORIGIN

MADE IN ITALY

RED WING STYLE #3229MEN'S PETROKING 8-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, PUNCTURE RESISTANT, SWEN FLEX, HRO HEAT RESISTANT, FORCEGUARD, SLIP RESISTANT

EH ELECTRICAL HAZARD

PR PUNCTURE RESISTANT

NT NON-METALLIC TOE

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

EN ISO 20345:2011 SB SRC P E
WRU HRO FO, ASTM F2413-18,
M/I/C, EH PR, ASTM F3445-21,
SR, AS 2210.3:2019

RED WING STYLE #3228MEN'S PETROKING 6-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, PUNCTURE RESISTANT, SWEN FLEX, HRO HEAT RESISTANT, FORCEGUARD, SLIP RESISTANT

EH ELECTRICAL HAZARD

PR PUNCTURE RESISTANT

NT NON-METALLIC TOE

SR SLIP RESISTANT



COUNTRY OF ORIGIN
MADE IN ITALY

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

EN ISO 20345:2011 SB SRC P E WRU HRO FO,
ASTM F2413-18, M/I/C, EH PR, ASTM F3445-21,
SR, AS 2210.3:2019



COUNTRY OF ORIGIN
MADE IN ITALY

RED WING STYLE #3205MEN'S PETROKING 6-INCH BOOT

TECHNOLOGIES

NON-METALLIC TOE, PUNCTURE RESISTANT, STATIC DISSIPATIVE, SWEN FLEX, HRO HEAT RESISTANT, FORCEGUARD, SLIP RESISTANT

NT NON-METALLIC TOE

SD STATIC DISSIPATIVE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

EN ISO 20345:2011 S3 SRC HRO
ESD, ASTM F2413-18, M/I/C, SD
35 PR, ASTM F3445-21, SR, AS
2210.3:2019

RED WING STYLE #3206MEN’S PETROKING 8-INCH BOOT

TECHNOLOGIES

METATARSAL GUARD, NON-METALLIC TOE, PUNCTURE RESISTANT, STATIC DISSIPATIVE, HRO HEAT RESISTANT, FORCEGUARD, D30, LENZI

- MT METATARSAL GUARD
- PR PUNCTURE RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

- NT NON-METALLIC TOE
- SD STATIC DISSIPATIVE

SAFETY RATING

EN ISO 20345:2011 S3 SRC M HRO ESD, ASTM F2413-18, M/I/C, MT SD 35 PR



COUNTRY OF ORIGIN
MADE IN ITALY



COUNTRY OF ORIGIN
MADE IN CAMBODIA

RED WING STYLE #2455MEN’S EXOS LITE 8-INCH BOOT

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, WATERPROOF, ALUMINUM TOE, RED WING WATERPROOFING SYSTEM, RED WING LEATHER, SWEN FLEX, SWITCHBACK SUPPORT SYSTEM, SCREEN SHIELD, VIBRAM® LITEBASE, SLIP RESISTANT

- EH ELECTRICAL HAZARD
- WATERPROOF
- SR SLIP RESISTANT
- PR PUNCTURE RESISTANT
- AT ALUMINUM TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BETTER

SAFETY RATING

CSA GRADE I, ESR RATED, PR, ASTM F2413-18, M/I/C, EH PR, ASTM F3445-21, SR

RED WING STYLE #244IMEN'S TRACTION TRED LITE 6-INCH BOOT



TECHNOLOGIES

ELECTRICAL HAZARD, NON-METALLIC TOE, WATERPROOF, RED WING WATERPROOFING SYSTEM, HRO HEAT RESISTANT, VIBRAM® LITEBASE, NANO TOE, SLIP RESISTANT

EH ELECTRICAL HAZARD

WATERPROOF

NT NON-METALLIC TOE

SR SLIP RESISTANT

COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR

RED WING STYLE #2454MEN'S EXOS LITE 6-INCH BOOT



COUNTRY OF ORIGIN
MADE IN CAMBODIA

TECHNOLOGIES

ELECTRICAL HAZARD, WATERPROOF, ALUMINUM TOE, RED WING WATERPROOFING SYSTEM, RED WING LEATHER, SWITCHBACK SUPPORT SYSTEM, SCREEN SHIELD, VIBRAM® LITEBASE, SLIP RESISTANT

EH ELECTRICAL HAZARD

AT ALUMINUM TOE

WATERPROOF

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BETTER

SAFETY RATING

ASTM F2413-18, M/I/C, EH, ASTM F3445-21, SR

RED WING STYLE #595MEN’S TRACTION TRED CHUKKA

TECHNOLOGIES

ELECTRICAL HAZARD, RED WING LEATHER, CORE STYLE, VIBRAM®,
SLIP RESISTANT



EH ELECTRICAL HAZARD

SR SLIP RESISTANT

COUNTRY OF ORIGIN
MADE IN USA

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2892-18, EH, ASTM F3445-21, SR

WOMEN’S WORK FOOTWEAR



COUNTRY OF ORIGIN
MADE IN VIETNAM

RED WING STYLE #3562WOMEN’S CROSS LITE SLIP-ON

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, ALUMINUM TOE,
WOMEN’S SPECIFIC FIT, SWEN FLEX, EXTRALIGHT, SLIP
RESISTANT

EH ELECTRICAL HAZARD

AT ALUMINUM TOE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

CSA GRADE I, ESR RATED, PR,
ASTM F2413-18, F/I/C, EH PR,
ASTM F3445-21, SR

WORX STYLE #5144WOMEN'S ZINC OXFORD

TECHNOLOGIES

ELECTRICAL HAZARD, STEEL TOE, HRO HEAT RESISTANT, STARGRIP®

EH ELECTRICAL HAZARD

ST STEEL TOE



OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BEST
HEAT RESISTANCE
BEST

SAFETY RATING

ASTM F2413-18, F/I/C, EH

COUNTRY OF ORIGIN

MADE IN VIETNAM

RED WING STYLE #3566WOMEN'S CROSS LITE WOMEN'S 5-INCH SIDE-ZIP BOOT



COUNTRY OF ORIGIN
MADE IN VIETNAM

TECHNOLOGIES

ELECTRICAL HAZARD, PUNCTURE RESISTANT, ALUMINUM TOE, WOMEN'S SPECIFIC FIT, SWEN FLEX, EXTRALIGHT, SLIP RESISTANT

EH ELECTRICAL HAZARD

AT ALUMINUM TOE

PR PUNCTURE RESISTANT

SR SLIP RESISTANT

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE
BEST
CHEMICAL RESISTANCE
BEST
ABRASION RESISTANCE
BETTER
HEAT RESISTANCE
GOOD

SAFETY RATING

CSA GRADE I, ESR RATED, PR, ASTM F2413-18, F/I/C, EH PR, ASTM F3445-21, SR

WORX STYLE #5160WOMEN’S LITHIUM ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, STEEL TOE, HRO HEAT RESISTANT

EH ELECTRICAL HAZARD

ST STEEL TOE



COUNTRY OF ORIGIN
MADE IN VIETNAM

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

ASTM F2413-18, F/I/C, EH



COUNTRY OF ORIGIN
MADE IN VIETNAM

WORX STYLE #5159WOMEN’S LITHIUM ATHLETIC

TECHNOLOGIES

ELECTRICAL HAZARD, STEEL TOE, WOMEN’S SPECIFIC FIT, HRO
HEAT RESISTANT, SLIP RESISTANT

EH ELECTRICAL HAZARD

SR SLIP RESISTANT

ST STEEL TOE

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

ASTM F2413-18, F/I/C, EH, ASTM
F3445-21, SR

RED WING STYLE #8335WOMEN'S COOLTECH™ ATHLETICS

TECHNOLOGIES

ELECTRICAL HAZARD, WOMEN'S SPECIFIC FIT, HRO HEAT RESISTANT, VIBRAM®, CROSSBREEZE



EH ELECTRICAL HAZARD

OUTSOLE PROPERTIES

OIL/GAS RESISTANCE

BEST

CHEMICAL RESISTANCE

BEST

ABRASION RESISTANCE

BEST

HEAT RESISTANCE

BEST

SAFETY RATING

ASTM F2892-18, EH

COUNTRY OF ORIGIN

MADE IN VIETNAM

FOOTWEAR SIZE COMPARISON CHART FOR MOST COMMON INTERNATIONAL SYSTEMS

PLEASE NOTE THAT THERE IS NO REAL STANDARD FOR CONVERTING SHOES. YOUR BEST OPTION IS TO HAVE YOUR FOOT MEASURED PROFESSIONALLY AT A LOCAL SHOE STORE AND GET THE MEN'S AND WOMEN'S SIZES DIRECTLY FROM THE MEASUREMENT DEVICE.

USA MEN'S			3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	13	14	15	16
USA WOMEN'S	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12								
EUROPEAN	33.5	34	34.5	35	36	37	37.5	38	38.5	39	40	41	41.5	42	42.5	43	43.5	44	45	46	47	48	49	50
BRITISH	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	12	13	14	15
CM MEN'S			21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.2	27	27.5	28	28.5	29	29.5	30	31	32	33	34
CM WOMEN'S	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5								

WORKWEAR

61111 DESERT/TROPICAL FR COVERALL

 FLAME RESISTANT

 ANTI-STATIC

 CATEGORY 2

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION, CAT2

COLORS

TAN(51), PETRO BLUE(52)*, NAVY BLUE(53), ROYAL BLUE(54),
RED(55), GRAPHITE GRAY(56), ORANGE(57), YELLOW(59)*,
LIGHT GRAY(76)

FEATURES

- TWO CHEST POCKETS WITH CONCEALED ZIP CLOSURE
- TWO SIDE POCKETS WITH HIDDEN EXTERIOR-TO-INTERIOR ACCESS AND PRESS STUD CLOSURE
- TWO BACK POCKETS, RIGHT SIDE WITH FLAP
- TOOL POCKET ON RIGHT LEG
- ELASTICIZED WAISTBAND
- 2" (50MM) WIDE REFLECTIVE FR STRIPING AROUND ARMS, LEGS AND OVER THE SHOULDERS
- TWO RADIO LOOPS
- CONCEALED TWO-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH PRESS STUD CLOSURE
- CONCEALED PRESS STUDS ON CUFFS AND ANKLE OPENINGS
- LEFT SLEEVE POCKET WITH PEN POCKET DIVIDER, SMALL FLAP WITH HOOK-AND-LOOP CLOSURE
- SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT



61611 DESERT TROPICAL, FR COVERALL

 FLAME RESISTANT

 ANTI-STATIC

 CATEGORY 2

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION, CAT2

COLORS

TAN(51), PETRO BLUE(52), NAVY BLUE(53), ROYAL BLUE(54),
RED(55), GRAPHITE GRAY(56), ORANGE(57), YELLOW(59)*,
LIGHT GRAY(76)*

FEATURES

- ELASTICIZED WAISTBAND
- 2" (50MM) WIDE REFLECTIVE FR STRIPING AROUND ARMS, LEGS AND OVER THE SHOULDERS
- TWO RADIO LOOPS
- CONCEALED PRESS BUTTON ON CUFFS
- ONE BACK POCKET
- TWO CHEST POCKETS WITH FLAPS, RIGHT POCKET WITH A CONCEALED ZIP CLOSURE, LEFT POCKET WITH PEN SLEEVE POCKET
- SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT
- TWO SIDE POCKETS WITH HIDDEN EXTERIOR-TO-INTERIOR ACCESS
- CONCEALED TWO-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH PRESS STUD CLOSURE



61640 DESERT TROPICAL NON-FR COVERALL



COLORS

**TAN(51), PETRO BLUE(52)*, NAVY BLUE(53), ROYAL BLUE(54),
RED(55), GRAPHITE GRAY(56), ORANGE(57), YELLOW(59)*,
LIGHT GRAY(76)**

FEATURES

- **ELASTICIZED WAISTBAND**
- **TWO RADIO LOOPS**
- **CONCEALED TWO-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH PRESS STUD CLOSURE**
- **CONCEALED PRESS BUTTON ON CUFFS**
- **ONE BACK POCKET**
- **2" (50MM) WIDE REFLECTIVE NON-FR STRIPING AROUND ARMS, LEGS AND OVER THE SHOULDERS**
- **TWO CHEST POCKETS WITH FLAPS, RIGHT POCKET WITH A CONCEALED ZIP CLOSURE, LEFT POCKET WITH PEN SLEEVE POCKET**
- **SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT**
- **TWO SIDE POCKETS WITH HIDDEN EXTERIOR-TO-INTERIOR ACCESS**

61150 TEMPERATE COVERALL



COLORS

TAN(51)*, PETRO BLUE(52)*, NAVY BLUE(53)*, ROYAL BLUE(54)*, RED(55)*, GRAPHITE GRAY(56)*, ORANGE(57)*, YELLOW(59)*, LIGHT GRAY(76)*

FEATURES

- TWO CHEST POCKETS WITH CONCEALED ZIP CLOSURE
- TWO BACK POCKETS, RIGHT SIDE WITH FLAP
- TOOL POCKET ON RIGHT LEG
- ELASTICIZED WAISTBAND
- TWO RADIO LOOPS
- CONCEALED TWO-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH PRESS STUD CLOSURE
- CONCEALED PRESS STUDS ON CUFFS AND ANKLE OPENINGS
- LEFT SLEEVE POCKET WITH PEN POCKET DIVIDER, SMALL FLAP WITH HOOK-AND-LOOP CLOSURE
- 2" (50MM) WIDE REFLECTIVE NON-FR STRIPING AROUND ARMS, LEGS AND OVER THE SHOULDERS
- SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT
- TWO SIDE POCKETS WITH HIDDEN EXTERIOR-TO-INTERIOR ACCESS AND PRESS STUD CLOSURE

61615 DESERT TROPICAL FR COVERALL

 **FLAME RESISTANT**

 **ANTI-STATIC**

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION

COLORS

TAN(51)*, PETRO BLUE(52)*, NAVY BLUE(53), ROYAL
BLUE(54), RED(55), GRAPHITE GRAY(56)*, ORANGE(57),
YELLOW(59)*, LIGHT GRAY(76)*

FEATURES

- ELASTICIZED WAISTBAND
- 2" (50MM) WIDE REFLECTIVE FR STRIPING AROUND ARMS, LEGS AND OVER THE SHOULDERS
- TWO RADIO LOOPS
- CONCEALED TWO-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH PRESS STUD CLOSURE
- CONCEALED PRESS BUTTON ON CUFFS
- ONE BACK POCKET
- TWO CHEST POCKETS WITH FLAPS, RIGHT POCKET WITH A CONCEALED ZIP CLOSURE, LEFT POCKET WITH PEN SLEEVE POCKET
- SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT





664II FR PLAIN FRONT TROUSERS

 FLAME RESISTANT

 ANTI-STATIC

 CATEGORY 2

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION, CAT2

COLORS

TAN(51), PETRO BLUE(52)*, NAVY BLUE(53), ROYAL BLUE(54),
RED(55), GRAPHITE GRAY(56), ORANGE(57), YELLOW(59)*,
LIGHT GRAY(76)

FEATURES

- TWO DEEP SIDE POCKETS
- TWO BACK POCKETS, BOTH WITH BUTTON CLOSURE

66535 MEN'S DENIM JEANS

 FLAME RESISTANT

 CATEGORY 2



TECHNOLOGIES

FLAME RESISTANT GARMENT, ELECTRIC ARC FLASH
PROTECTION, CAT2

COLORS

NAVY BLUE(53)

FEATURES

- TWO DEEP SIDE SLASH POCKETS, RIGHT SIDE WITH COIN POCKET
- LEATHER RED WING LOGO PATCH ON BACK WAISTBAND
- TWO REAR PATCH POCKETS
- BRASS BUTTON-FRONT FLY WITH YKK ZIPPER

6631I FR SHIRT

 **FLAME RESISTANT**

 **ANTI-STATIC**

 **CATEGORY 2**

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION, CAT2

COLORS

TAN(51), PETRO BLUE(52)*, NAVY BLUE(53), ROYAL BLUE(54),
RED(55), GRAPHITE GRAY(56), ORANGE(57), YELLOW(59)*,
LIGHT GRAY(76)

FEATURES

- FRONT BUTTON CLOSURE
- BUTTON CUFFS
- TWO CHEST POCKETS WITH BUTTON-DOWN FLAPS, PEN SLEEVE ON LEFT POCKET



69007 SOFT SHELL JACKET



OIL RESISTANT



WINDPROOF



WATER RESISTANT

TECHNOLOGIES

OIL RESISTANT GARMENT, WINDPROOF GARMENT, WATER RESISTANT GARMENT

COLORS

NAVY BLUE(53), MULTI (ORANGE/BLACK)(60), MULTI (BLACK/RED)(62), NAVY/ROYAL BLUE(75)

FEATURES

- SLEEVE POCKET WITH ZIP CLOSURE
- FULL LENGTH ZIP CLOSURE
- CHEST POCKET WITH ZIP CLOSURE
- TWO SIDE POCKETS WITH ZIP CLOSURE
- ELASTICIZED CUFFS WITH THUMB HOLDER
- DRAW CORD AT BOTTOM OF JACKET
- HIGH COLLAR WITH FLEECE LINING



69018 SOFTSHELL JACKET



TECHNOLOGIES

WINDPROOF GARMENT, WATER RESISTANT GARMENT

COLORS

GRAY/BLACK(93)

FEATURES

- FULL LENGTH ZIP CLOSURE
- DRAW CORD AT BOTTOM OF JACKET
- CHEST POCKET WITH ZIP CLOSURE
- TWO SIDE POCKETS WITH ZIP CLOSURE
- WRIST SLEEVE WITH THUMB HOLE
- HIGH COLLAR WITH FLEECE LINING



62915 TEMPERATE, FR JACKET

 FLAME RESISTANT

 ANTI-STATIC

 INSULATED

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
INSULATED GARMENT, WIND AND WATER RESISTANT
GARMENT, ELECTRIC ARC FLASH PROTECTION

COLORS

TAN(51)*, PETRO BLUE(52)*, NAVY BLUE(53), ROYAL
BLUE(54), RED(55), GRAPHITE GRAY(56)*, ORANGE(57),
YELLOW(59)*, LIGHT GRAY(76)*

FEATURES

- ADJUSTABLE CUFFS
- HIGH COLLAR
- CONCEALED ONE-WAY, BLACK HIGH-DENSITY POLYESTER COIL ZIP WITH BRASS SNAP CLOSURE
- ONE INSIDE LEFT CHEST POCKET
- CONCEALED ZIPPER IN COLLAR FOR HOOD (HOOD SOLD SEPARATELY)
- ZIPPER PULL LEFT SIDE
- SHOULDER PLEATS FOR FREEDOM OF MOVEMENT AND COMFORT
- TWO SIDE POCKETS WITH FLEECE LINING
- RIGHT CHEST INSET POCKET WITH HOOK AND LOOP CLOSURE
- LEFT CHEST POCKET WITH HOOK AND LOOP CLOSURE, AND ADDITIONAL EXTERNAL POCKET WITH VERTICAL ZIPPER ACCESS



69006 WINTER SOFT SHELL JACKET



TECHNOLOGIES

INSULATED GARMENT, WIND AND WATER RESISTANT
GARMENT

COLORS

BLACK(58)

FEATURES

- DETACHABLE/ADJUSTABLE FLEECE-LINED HOOD
- FULL LENGTH ZIP CLOSURE
- WATERPROOF PHONE POCKET ON THE CHEST
- KNITTED AND ADJUSTABLE CUFFS WITH THUMB HOLDER
- DRAW CORD AT BOTTOM OF JACKET
- TWO SIDE POCKETS WITH ZIP CLOSURE
- ADJUSTABLE STORM CUFFS AND THUMB HOLDER AT SLEEVES
- HIGH COLLAR WITH FLEECE LINING
- ZIPPER OPENING FOR UNDER ARM VENTILATION
- WIND/SNOW SKIRT



62815 FR LAB COAT

 FLAME RESISTANT

 ANTI-STATIC

TECHNOLOGIES

FLAME RESISTANT GARMENT, ANTI-STATIC GARMENT,
ELECTRIC ARC FLASH PROTECTION

COLORS

TAN(51)*, PETRO BLUE(52)*, NAVY BLUE(53), ROYAL
BLUE(54), RED(55), GRAPHITE GRAY(56)*, ORANGE(57),
YELLOW(59)*, LIGHT GRAY(76)*



MEN'S SHIRTS, JACKETS, PARKAS AND LAB COATS



SHIRTS, JACKETS, PARKAS AND LAB COATS		
CHEST	INCH/CM EQUIVALENT	
XXS	32"-34"	82-86 cm
XS	34"-36"	86-92 cm
S	36"-38"	92-97 cm
M	38"-42"	97-107 cm
L	42"-46"	107-117 cm
XL	46"-50"	117-127 cm
2XL	50"-54"	127-137 cm
3XL	54"-58"	137-147 cm
4XL	58"-62"	147-157 cm
5XL	62"-66"	157-168 cm
6XL	66"-70"	168-178 cm
HEIGHT	INCH/CM EQUIVALENT	
Regular	up to 6' 1"	up to 185 cm
Tall*	up to 6' 4"	up to 193 cm

** Shirts, jackets, lab/shop coats:
tall not available in XXS chest size*

** Parkas:
tall not available in XXS and XS chest size*

95205 PREMIUM SAFETY GLASSES



FEATURES

- SINGLE PANORAMIC LENS PROVIDES WIDE-ANGLE VISION INCORPORATING SIDE-SHIELD AND BROW PROTECTION
- LENS IS MADE FROM UV385 POLYCARBONATE THAT FILTERS OUT 99.9% OF HARMFUL UV RADIATION
- LENS IS FINISHED WITH ANTI-SCRATCH HARD COATING AND ADDED ANTI-FOG ADVANTAGE
- CO-INJECTED SOFT NOSE PAD PREVENTS SLIPPING WHILE PROVIDING A PILLOW SOFT FIT
- RATCHET TEMPLE ADJUSTMENT ALLOWS CUSTOMIZED FIT AND IMPROVES WEARERS' COMFORT
- DURABLE POLYAMIDE FRAME OFFERS GOOD RESISTANCE TO OIL, GREASE, AROMATIC SOLVENTS AND ALKALINE
- CO-INJECTED BROWBAR IMPROVES AIR CIRCULATION AND PROVIDES CUSHION DURING IMPACT

95213 SAFETY GLASSES



FEATURES

- 3-POSITION FRAME WIDTH ADJUSTMENT FOR CUSTOMIZED FIT
- FLEXIBLE TEMPLES AND RUBBER NOSEPIECE FOR MAXIMUM COMFORT

95214 SAFETY GLASSES



FEATURES

- STRAP OR RUBBER-TIPPED TEMPLES SYSTEM OPTIONS
- SPECTACLE AND GOGGLE COMBINATION ADVANTAGE
- FOLD-RELEASE HINGE DESIGN ALLOWS USERS TO CHANGE THE TEMPLE/ELASTIC BAND EASILY
- NO METAL PARTS/NON-CONDUCTIVE DIELECTRIC DESIGN HELP PROTECT EYES FROM ELECTRIC ARCS
- REMOVABLE FOAM GASKET PROVIDES CUSHION FIT AND PROTECTS EYES FROM DUST AND DEBRIS
- ADJUSTABLE ELASTIC STRAP PROVIDES TIGHTER FIT
- SOFT TEMPLE TIP FOR SLIP PROOF

LARGE OFFSHORE BAG



FEATURES

- IDEAL FOR EGRESS TO HELICOPTER BAYS
- SIDE-BY-SIDE FULL-OPEN TOP ZIP FOR EASY ACCESS
- MULTIPLE SIDE ZIP COMPARTMENTS FOR STOWING BOOTS, DIRTY CLOTHES AND OTHER GEAR
- STURDY IN-LINE WHEEL SYSTEM AND LOCKING TELESCOPIC HANDLE WITH BUTTON OPERATION FOR EASY TRANSPORT
- DIMENSIONS: 28" L (71 CM) X 16" W (41 CM) X 16" D (41CM)
- PADDED HANDLES
- RUGGED, DURABLE ZIPPERS
- ID CARD POCKET
- HEAVY-DUTY BAG MADE OF BALLISTIC NYLON FOR DURABILITY

69101 SMALL OFFSHORE BAG



FEATURES

- IDEAL FOR EGRESS TO HELICOPTER BAYS
- SIDE-BY-SIDE FULL-OPEN TOP ZIP FOR EASY ACCESS
- MULTIPLE SIDE ZIP COMPARTMENTS FOR STOWING BOOTS, DIRTY CLOTHES AND OTHER GEAR
- DIMENSIONS: 21"L (54 CM) X 14"W (36 CM) X 12"D (31 CM)
- OPTIONAL PADDED BACKPACK STRAPS ARE ADJUSTABLE/REMOVABLE
- PADDED HANDLES
- RUGGED, DURABLE ZIPPERS
- ID CARD POCKET
- HEAVY-DUTY BAG MADE OF BALLISTIC NYLON FOR DURABILITY

69012 BACKPACK



FEATURES

- SIDE-BY-SIDE FULL-OPEN TOP ZIP FOR EASY ACCESS
- PADDED HANDLES
- RUGGED, DURABLE ZIPPERS
- HEAVY-DUTY BAG MADE OF BALLISTIC NYLON FOR DURABILITY
- PADDED LAPTOP COMPARTMENT (FITS UP TO 15" LAPTOP)
- MULTIPLE SIDE POCKETS FOR STOWING BEVERAGE BOTTLES & OTHER SMALL ITEMS
- ADJUSTABLE, PADDED SHOULDER STRAPS
- DIMENSIONS: 17"L (43 CM) X 13"W (33 CM) X 9"D (23 CM)

69019 BACKPACK



FEATURES

- SIDE-BY-SIDE FULL-OPEN TOP ZIP FOR EASY ACCESS
- PADDED HANDLES
- RUGGED, DURABLE ZIPPERS
- HEAVY-DUTY BAG MADE OF BALLISTIC NYLON FOR DURABILITY
- PADDED LAPTOP COMPARTMENT (FITS UP TO 15" LAPTOP)
- MULTIPLE SIDE POCKETS FOR STOWING BEVERAGE BOTTLES & OTHER SMALL ITEMS
- ADJUSTABLE, PADDED SHOULDER STRAPS
- BUILT IN USB PORT. CHARGE ON THE GO USING A PORTABLE BATTERY.
- UTILITY POCKET. GREAT FOR QUICK ACCESS TO KEYS OR OTHER ITEMS YOU WANT TO KEEP HANDY.
- LAYS FLAT FOR EASY INSPECTION AT TSA CHECKPOINTS
- TABLET SLEEVE
- HANDS-FREE TRAVEL DESIGN
- UMBRELLA POCKET
- DETACHABLE PHONE CASE ON SHOULDER STRAP
- DIMENSIONS: 48CM X 35CM X 20CM